

Tabelle1

Seite	Artikelnr.	EAN	Bezeichnung	Leuchtmittel	KELVIN	Lichtfarbe	Lumen	LM/Watt	WATT	kw/1000h	RA	EEL
120	10561	4049577005960	S2004/2 Zweifach-Steckdose 245 mm		0		0		0	0	0	0
120	10581	4049577005977	S 2004 - HE Haupteinspeisung 140 mm		0		0		0	0	0	0
121	10610	4049577006226	1,00 Meter Anschlussleitung		0		0		0	0	0	0
121	10620	4049577006219	1,50 Meter Anschlussleitung		0		0		0	0	0	0
121	10630FR	4049577006202	2,00 Meter Anschlussleitung 240 V/16 A		0		0		0	0	0	0
121	10650	4049577006189	3,00 Meter Anschlussleitung		0		0		0	0	0	0
121	10710W	4049577006127	0,50 Meter Verbindungsleitung ST 18/3		0		0		0	0	0	0
121	10740W	4049577006097	1,00 Meter Verbindungsleitung ST 18/3		0		0		0	0	0	0
121	10760W	4049577006073	2,00 Meter Verbindungsleitung ST 18/3		0		0		0	0	0	0
121	10770W	4049577006141	0,20 Meter Verbindungsleitung ST 18/3		0		0		0	0	0	0
121	10780W	4049577006134	0,30 Meter Verbindungsleitung ST 18/3		0		0		0	0	0	0
121	10818	4049577006431	Kupplungsteil weiss ST 18/3		0		0		0	0	0	0
121	10819	4049577006448	Steckerteil weiss ST 18/3		0		0		0	0	0	0
120	10831	4049577006257	Minikabelkanal mit Deckel		0		0		0	0	0	0
120	10832	4049577006240	Minikabelkanal mit Deckel LCD71.6		0		0		0	0	0	0
121	10853	4049577004451	Verschluss ST18/3 fuer Buchsenteil		0		0		0	0	0	0
121	10855	4049577004444	Verschluss ST18/3 fuer Buchsenteil		0		0		0	0	0	0
120	10911	4049577005298	R2004/ 6 Kuechenanbauleuchte 253 mm	T5 6 W G5	3000	warmweiss	280	46,67	6	6,6	53	A
120	10921	4049577005281	R2004/ 8 Kuechenanbauleuchte 330 mm	T5 8 W G5	3000	warmweiss	400	50	8	8,8	53	A
120	10931	4049577005274	R2004/13 Kuechenanbauleuchte 560 mm	T5 13 W G5	3000	warmweiss	880	67,69	13	14,3	53	A
120	10941	4049577005267	R2004/15 Kuechenanbauleuchte 470 mm	T8 15 W G13	3000	warmweiss	950	63,33	15	18,62	85	B
120	10951	4049577005250	R2004/16 Kuechenanbauleuchte 752 mm	T8 16 W G13	3000	warmweiss	1200	75	16	19,65	85	A
120	10961	4049577005243	R2004/18 Kuechenanbauleuchte 623 mm	T8 18 W G13	3000	warmweiss	1350	75	18	21,98	85	A
120	10971	4049577005236	R2004/30 Kuechenanbauleuchte 930 mm	T8 30 W G13	3000	warmweiss	2400	80	30	35,73	85	A
119	1380001	4049577098498	1,70 m Anschlussleitung weiss zu R3800		0		0		0	0	0	0
119	1380111	4049577101020	1000 mm Verbinder weiss zu R 3800		0		0		0	0	0	0
119	1380121	4049577101013	500 mm Verbinder weiss zu R 3800		0		0		0	0	0	0
119	1380131	4049577098504	200 mm Verbinder weiss zu R 3800		0		0		0	0	0	0
119	1381121	4049577099761	R 3800/ 8 Watt T5 EVG 356x28x43 mm	T5 8 W G5	4200	weiss	500	62,5	8	8,8	80	A
119	1381131	4049577099778	R 3800/13 Watt T5 EVG 583x28x43 mm	T5 13W G5	4200	weiss	880	67,69	13	14,3	80	A
119	1381171	4049577099785	R 3800/21 Watt T5 EVG 916x28x43 mm	T5 21W G5	4200	weiss	1430	68,1	21	23,1	80	A
119	1381181	4049577099754	R 3800/28 Watt T5 EVG 1216x28x43 mm	T5 28 W G5	4200	weiss	1850	66,07	28	30,8	80	A
105	17006	4049577003669	KI-ST 2 Edelstahl Steckdose 2-fach		0		0		0	0	0	0
105	17006EBK	4049577003775	Einbaukit zu KI-ST/2 Edelstahl		0		0		0	0	0	0
106	17006KLD	4049577003690	KI-ST/2 KLD Edelstahl		0		0		0	0	0	0
105	17006V	4049577003768	KI-ST/2 V-Edelstahl Steckdose 2-fach		0		0		0	0	0	0
105	17006VEBK	4049577003751	Einbaukit zu KI-ST/2V Edelstahl		0		0		0	0	0	0
106	1701226	4049577003683	KI-ST/2 B Edelstahl 240 V/16 A		0		0		0	0	0	0
105	17016	4049577003744	KI-ST/4 Edelstahl Steckdose 4-fach		0		0		0	0	0	0
108	17086	4049577160768	ST 08 USB Edelstahl		0		0		0	0	0	0
108	17086.8	4049577160775	ST 08 USB Schwarz		0		0		0	0	0	0
110	17096	4049577148124	ST 09 Edelstahl 2-fach Einbausteckdose		0		0		0	0	0	0

Tabelle1

110	17096.8	4049577155788	ST 09 schwarz 2-fach Einbausteckdose		0	0	0	0	0	0
109	170962.6	4049577159694	ST 09 E Edelstahl 2-fach		0	0	0	0	0	0
111	17116S	4049577136862	APS 11 USB ALU Einbausteckdose 240V/16A		0	0	0	0	0	0
111	17126S	4049577136879	APS 11 ALU Einbausteckdose 240 V/16 A		0	0	0	0	0	0
112	17136S	4049577136886	APS 13 Aluminium Einbausteckdose		0	0	0	0	0	0
112	17156	4049577128225	APS 15 Edelstahl Einbausteckdose		0	0	0	0	0	0
107	17166	4049577139153	APS 16 Einbausteckdose mit Klappdeckel		0	0	0	0	0	0
108	17176	4049577156679	ST 17 Edelstahl Einbau mit Klappdeckel		0	0	0	0	0	0
108	17177	4049577132406	ST 17 Aluminium Einbau mit Klappdeckel		0	0	0	0	0	0
116	17421	4049577004482	S 3200 Einspeisungselement weiss 85 mm		0	0	0	0	0	0
116	17426	4049577004475	S 3200 Einspeisungselement 85 mm		0	0	0	0	0	0
116	17431	4049577004376	S 3200-HE Hauptschalter weiss 130 mm		0	0	0	0	0	0
116	17436	4049577004369	S 3200-HE Hauptschalter 130 mm		0	0	0	0	0	0
116	17451	4049577009913	S 3200/2 2-fach Steckdose weiss 195 mm		0	0	0	0	0	0
116	17456	4049577009920	S 3200/2 Zweifach-Steckdose		0	0	0	0	0	0
116	17461	4049577009944	S 3200-MHE Mitteneinspeisung 130 mm		0	0	0	0	0	0
116	17466	4049577004505	S 3200-MHE Mitteneinspeisung 130 mm		0	0	0	0	0	0
99	174716	4049577171122	ST 3009 ST/1 Edelstahl 240V/16A 3500 W		0	0	0	0	0	0
99	174718	4049577171139	ST 3009 ST/1 schwarz 240V/16A 3500 W		0	0	0	0	0	0
99	17476	4049577003614	ST 3009 ST/2 Edelstahl 240 V/16 Ampere		0	0	0	0	0	0
99	17478	4049577166289	ST 3009 ST/2 schwarz 240 V/16 Ampere		0	0	0	0	0	0
87	1748106/3	4049577155658	ST 3061/3 USB Energiesaeule		0	0	0	0	0	0
87	174816	4049577155634	ST 3061 Energiesaeule Edelstahl mit		0	0	0	0	0	0
87	174816/3	4049577155641	ST 3061/3 Energiesaeule Edelstahl mit		0	0	0	0	0	0
97	174826	4049577129246	ST 3002 Unterbausteckdose Edelstahl		0	0	0	0	0	0
97	174828	4049577165763	ST 3002 Unterbausteckdose schwarz		0	0	0	0	0	0
96	174836	4049577129024	ST 3003 Energie Ecksaeule Edelstahl		0	0	0	0	0	0
95	174846	4049577127839	ST 3004 Energie Ecksaeule Edelstahl		0	0	0	0	0	0
95	1748506	4049577139740	ST 3004 +USB Port		0	0	0	0	0	0
95	174856	4049577129376	ST 3004 Energie Ecksaeule Edelstahl		0	0	0	0	0	0
88	17486	4049577003737	ST 3006 Energiesaeule Edelstahl mit		0	0	0	0	0	0
87	174916	4049577155665	STS 3061 Energiesaeule Edelstahl		0	0	0	0	0	0
96	174936	4049577131409	STS 3003 Energie Ecksaeule Edelstahl		0	0	0	0	0	0
95	1749406	4049577131348	STS 3004 +USB Port		0	0	0	0	0	0
95	174946	4049577131393	STS 3004 Energie Ecksaeule Edelstahl		0	0	0	0	0	0
88	17496	4049577003720	STS 3006 Energiesaeule Edelstahl mit		0	0	0	0	0	0
88	17496SKU	4049577087393	STS 3006 SKU Energiesaeule Edelstahl		0	0	0	0	0	0
99	175026	4049577094476	ST 3020 ST/2 LED Edelstahl	SMD3528 LED 12V	5000	kaltweiss	30	20	1,5	1,65 80 A
102	175046	4049577108081	ST 3040 ST/1 Edelstahl		0		0		0	0
101	175056	4049577108098	ST 3050 ST/2 Edelstahl		0		0		0	0
102	175086	4049577108371	ST 3080 ST/1 Edelstahl 62x62x41 mm		0		0		0	0
102	175088	4049577165831	ST 3080 ST/1 schwarz 62x62x41 mm		0		0		0	0
97	175186	4049577165084	USB 3080/2 Edelstahl 62x62x41 mm		0		0		0	0

Tabelle1

97	175188	4049577165855	USB 3080/2 schwarz 62x62x41 mm		0		0		0	0	
116	17521	4049577004314	R 3200/ 8 Watt Flachleuchte weiss	T5 8 W G5	3000	warmweiss	400	50	8	8,8	53A
116	17526	4049577010490	R 3200/ 8 Watt Flachleuchte Edelstahl	T5 8 W G5	3000	warmweiss	400	50	8	8,8	53A
116	17531	4049577004307	R 3200/13 Watt Flachleuchte weiss	T5 13 W G5	3000	warmweiss	880	67,69	13	14,3	53A
116	17536	4049577006837	R 3200/13 Watt Flachleuchte Edelstahl	T5 13 W G5	3000	warmweiss	880	67,69	13	14,3	53A
116	17541	4049577004291	R 3200/15 Watt Flachleuchte weiss	T8 15 W G13	3000	warmweiss	950	63,33	15	18,62	85B
116	17546	4049577013262	R 3200/15 Watt Flachleuchte Edelstahl	T8 15 W G13	3000	warmweiss	950	63,33	15	18,62	85B
116	17551	4049577004284	R 3200/16 Watt Flachleuchte weiss	T8 16 W G13	3000	warmweiss	1200	75	16	19,65	85A
116	17556	4049577013255	R 3200/16 Watt Flachleuchte Edelstahl	T8 16 W G13	3000	warmweiss	1200	75	16	19,65	85A
116	17561	4049577004277	R 3200/18 Watt Flachleuchte weiss	T8 18 W G13	3000	warmweiss	1350	75	18	21,98	85A
116	17566	4049577013248	R 3200/18 Watt Flachleuchte Edelstahl	T8 18 W G13	3000	warmweiss	1350	75	18	21,98	85A
116	17571	4049577004260	R 3200/30 Watt Flachleuchte weiss	T8 30 W G13	3000	warmweiss	2400	80	30	35,73	85A
116	17576	4049577006844	R 3200/30 Watt Flachleuchte Edelstahl	T8 30 W G13	3000	warmweiss	2400	80	30	35,73	85A
89	175806	4049577120786	ST 3007 USB Port Edelstahl		0		0		0	0	
100	175806/200/2	4049577147585	ST3007/200/2 Schuko 1xUSB Port		0		0		0	0	
89	175806/3	4049577118196	ST 3007/3/1 USB Port		0		0		0	0	
80	1758206/3	4049577154491	ST 3072/3 USB Energie-Ecksaeule		0		0		0	0	
81	1758206/32/3	4049577157881	ST 3072/320/3 USB Energie-Ecksaeule		0		0		0	0	
80	175826	4049577154477	ST 3072 Energie-Ecksaeule Edelstahl		0		0		0	0	
81	175826/200	4049577157898	ST 3072/200		0		0		0	0	
80	175826/3	4049577154484	ST 3072 Energie-Ecksaeule Edelstahl		0		0		0	0	
81	175826/320/3	4049577157874	ST 3072/320/3		0		0		0	0	
84	175826/490	4049577172013	ST 3072/490 Energie-Ecksaeule Edelstahl		0		0		0	0	
81	175828/200	4049577168634	ST 3072/200 Energie-Ecksaeule schwarz		0		0		0	0	
84	175828/490	4049577172020	ST 3072/490 Energie-Ecksaeule schwarz		0		0		0	0	
89	17586	4049577003812	ST 3007 Energie-Ecksaeule Edelstahl		0		0		0	0	
91	17586LED	4049577100061	ST 3007 LED Ecksaeule Edelstahl	SMD3528 LED 12V	5000	kaltweiss	20	50	0,4	0,44	80A
91	17586LEDD	4049577104427	ST 3007 LED Ecksaeule Edelstahl	SMD3528 LED 12V	5000	kaltweiss	2	50	0,04	0,04	80A
89	17586/2	4049577087454	ST 3007/2 Energie-Ecksaeule Edelstahl		0		0		0	0	
90	17586/200/2	4049577010322	ST 3007/200/2 Energie-Ecksaeule		0		0		0	0	
90	17586/200/2C	4049577003850	ST 3007/2-C Energie-Ecksaeule Edelstahl		0		0		0	0	
91	17586/320	4049577010551	ST 3007/320 Energie-Ecksaeule Edelstahl		0		0		0	0	
91	17586/320/3	4049577038128	ST 3007/320/3 Energie-Ecksaeule		0		0		0	0	
84	17586/490	4049577171979	ST 3007/490 Energie-Ecksaeule Edelstahl		0		0		0	0	
93	17586/C	4049577007704	ST 3007-C Ecksteckdose 3-fach Edelstahl		0		0		0	0	
93	17586/D	4049577149022	ST 3007-D Ecksteckdose 1-fach Edelstahl		0		0		0	0	
89	17587	4049577003805	ST 3007 Energie-Ecksaeule Aluminium mit		0		0		0	0	
90	17587/200/2	4049577010315	ST 3007 Energie-Ecksaeule ALU 200 mm		0		0		0	0	
90	17587/200/2C	4049577003843	ST 3007/200/2C Energie-Ecksaeule ALU		0		0		0	0	
91	17587/320	4049577007735	ST 3007 Energie-Ecksaeule ALU		0		0		0	0	
91	17587/320/3	4049577051493	ST 3007/320/3 Energie-Ecksaeule		0		0		0	0	

Tabelle1

90	17588/200/2	4049577162854	ST 3007/200/2 Energie-Ecksaeule schwarz		0		0	0	0	0	
90	17588/200/2C	4049577162076	ST 3007/2-C Energie-Ecksaeule schwarz		0		0	0	0	0	
92	17588/320	4049577163721	ST 3007/320 Energie-Ecksaeule		0		0	0	0	0	
92	17588/320/3	4049577162793	ST 3007/320/3 Energie-Ecksaeule		0		0	0	0	0	
84	17588/490	4049577171986	ST 3007/490 Energie-Ecksaeule		0		0	0	0	0	
93	17588/C	4049577162083	ST 3007/C Ecksteckdose 3-fach schwarz		0		0	0	0	0	
93	17588/D	4049577162090	ST 3007-D Ecksteckdose 1-fach		0		0	0	0	0	
80	175926	4049577154514	STS 3072 Energie-Ecksaeule Edelstahl		0		0	0	0	0	
86	175956	4049577151544	STA 3007 Energie-Ecksaeule Edelstahl		0		0	0	0	0	
86	175956/320/3	4049577151650	STA 3007/320/3 Energie-Ecksaeule		0		0	0	0	0	
89	17596	4049577003799	STS 3007 Energie-Ecksaeule Edelstahl		0		0	0	0	0	
89	17596SKU	4049577066008	STS 3007 Energie-Ecksaeule Edelstahl		0		0	0	0	0	
90	17596/200/2C	4049577003836	STS 3007-2C Energie-Ecksaeule Edelstahl		0		0	0	0	0	
93	17596/D	4049577149084	STS 3007-D Ecksteckdose 1-fach		0		0	0	0	0	
89	17597	4049577003782	STS 3007 Energie-Ecksaeule ALU mit		0		0	0	0	0	
90	17597/200/2C	4049577010339	STS 3007-2C Energie-Ecksaeule ALU		0		0	0	0	0	
92	17598/320	4049577162823	STS 3007/320 Energie-Ecksaeule schwarz		0		0	0	0	0	
117	17606	4049577004192	E 3201/13 Watt schwenkbar	T5 13W G5	4200	weiss	880	67,69	13	14,3	80A
117	17606/21	4049577004352	E 3201/21 Watt schwenkbar	T5 21 W G5	4200	weiss	1430	68,1	21	23,1	80A
117	17607	4049577004338	E 3201/13 Watt schwenkbar Aluminium	T5 13W G5	4200	weiss	880	67,69	13	14,3	80A
117	17607/21	4049577004321	E 3201/21 Watt schwenkbar Aluminium	T5 21 W G5	4200	weiss	1430	68,1	21	23,1	80A
117	17616	4049577004208	E 3201/ 8 Watt schwenkbar	T5 8 W G5	4200	weiss	500	62,5	8	8,8	80A
117	17617	4049577004345	E 3201/ 8 Watt schwenkbar Aluminium	T5 8 W G5	4200	weiss	500	62,5	8	8,8	80A
116	17621	4049577004635	E 3200/ 8 Watt Einzelfachleuchte weiss	T5 8 W G5	3000	warmweiss	400	50	8	8,8	53A
116	17626	4049577004574	E 3200/ 8 Watt Flachleuchte Edelstahl	T5 8 W G5	3000	warmweiss	400	50	8	8,8	53A
116	17631	4049577004628	E 3200/13 Watt Einzelfachleuchte weiss	T5 13 W G5	3000	warmweiss	880	67,69	13	14,3	53A
116	17636	4049577004567	E 3200/13 Watt Flachleuchte Edelstahl	T5 13 W G5	3000	warmweiss	880	67,69	13	14,3	53A
116	17641	4049577004611	E 3200/15 Watt Einzelfachleuchte weiss	T8 15 W G13	3000	warmweiss	950	63,33	15	18,62	85B
116	17646	4049577004550	E 3200/15 Watt Flachleuchte Edelstahl	T8 15 W G13	3000	warmweiss	950	63,33	15	18,62	85B
116	17651	4049577004604	E 3200/16 Watt Einzelfachleuchte weiss	T8 16 W G13	3000	warmweiss	1200	75	16	19,65	85A
116	17656	4049577004543	E 3200/16 Watt Flachleuchte Edelstahl	T8 16 W G13	3000	warmweiss	1200	75	16	19,65	85A
116	17661	4049577004598	E 3200/18 Watt Einzelfachleuchte weiss	T8 18 W G13	3000	warmweiss	1350	75	18	21,98	85A
116	17666	4049577004536	E 3200/18 Watt Flachleuchte Edelstahl	T8 18 W G13	3000	warmweiss	1350	75	18	21,98	85A
116	17671	4049577004581	E 3200/30 Watt Einzelfachleuchte weiss	T8 30 W G13	3000	warmweiss	2400	80	30	35,73	85A
116	17676	4049577004529	E 3200/30 Watt Flachleuchte Edelstahl	T8 30 W G13	3000	warmweiss	2400	80	30	35,73	85A
82	1768106/3	4049577154408	ST 3081/3 USB Energie-Ecksaeule		0		0	0	0	0	
83	1768106/320	4049577157935	ST 3081/320 USB Energie-Ecksaeule		0		0	0	0	0	
82	176816	4049577154316	ST 3081 Energie-Ecksaeule Edelstahl		0		0	0	0	0	
83	176816/200	4049577157973	ST 3081/200 Energie-Ecksaeule Edelstahl		0		0	0	0	0	
82	176816/3	4049577154323	ST 3081/3 Energie-Ecksaeule Edelstahl		0		0	0	0	0	
83	176816/320	4049577157959	ST 3081/320 Energie-Ecksaeule Edelstahl		0		0	0	0	0	

Tabelle1

84	176816/490	4049577171993	ST 3081/490 Energie-Ecksaeule Edelstahl		0		0	0	0	0	0
83	176818/200	4049577168610	ST 3081/200 Energie-Ecksaeule schwarz		0		0	0	0	0	0
84	176818/490	4049577172006	ST 3081/490 Energie-Ecksaeule schwarz		0		0	0	0	0	0
85	17686	4049577024756	ST 3008 Energie-Ecksaeule Edelstahl		0		0	0	0	0	0
85	17686K	4049577024893	ST 3008K Energie-Ecksaeule Edelstahl		0		0	0	0	0	0
82	176916	4049577154507	STS 3081 Energie-Ecksaeule Edelstahl		0		0	0	0	0	0
86	176956	4049577151636	STA 3008 Energie-Ecksaeule Edelstahl		0		0	0	0	0	0
85	17696	4049577086334	STS 3008 Energie-Ecksaeule Edelstahl		0		0	0	0	0	0
85	17696K	4049577086310	STS 3008K Energie-Ecksaeule Edelstahl		0		0	0	0	0	0
59	17700.5	4049577013323	W 3300/135 Winkelelement 135° 200x200		0		0	0	0	0	0
59	17700.6	4049577009982	W 3300/90 Winkelelement 90° 200x200 mm		0		0	0	0	0	0
59	17701.6	4049577004789	V 3300/20 Verbinderelement 200 mm		0		0	0	0	0	0
59	17702.6	4049577004772	V 3300/10 Verbinderelement 100 mm		0		0	0	0	0	0
59	17706	4049577004666	S 3300-MHE Einspeisung Edelstahl 150 mm		0		0	0	0	0	0
59	17706.0	4049577013286	VS 3300/15 Verbinderelement schiebbar		0		0	0	0	0	0
59	17706.1	4049577004819	VS 3300/30 Verbinderelement schiebbar		0		0	0	0	0	0
59	17706.2	4049577004802	VS 3300/45 Verbinderelement schiebbar		0		0	0	0	0	0
59	17706.4	4049577004796	VS 3300/75 Verbinderelement schiebbar		0		0	0	0	0	0
59	17706.6	4049577010094	S 3300/2-fach Steckdose Edelstahl 200mm		0		0	0	0	0	0
59	17706.6MHE	4049577042576	S 3300/2-fach MHE Steckdose Edelstahl		0		0	0	0	0	0
94	17906	4049577007803	E 3900/ST2 Edelstahl Steckdose 2-fach		0		0	0	0	0	0
94	17907	4049577007841	E 3900/ST2 Aluminium Steckdose 2-fach		0		0	0	0	0	0
100	17912206	4049577147615	ST 3900/A ST/2 USB Edelstahl		0		0	0	0	0	0
94	17916	4049577003829	ST 3900 ST/2 Edelstahl 200x115x58 mm		0		0	0	0	0	0
94	17917	4049577007827	ST 3900 ST/2 Aluminium 200x115x58 mm		0		0	0	0	0	0
100	1792206	4049577103505	ST 3900 B ST/2 USB 2 Edelstahl		0		0	0	0	0	0
98	1792216	4049577101365	ST 3900 B ST/2 HS LED Edelstahl	SMD3528 LED 12V	5000	kaltweiss	30	20	1,5	1,65	80A
98	1792216NT	4049577104205	ST 3900 B ST/2 HS LED Edelstahl	SMD3528 LED 12V	5000	kaltweiss	30	20	1,5	1,65	80A
98	1792226	4049577003577	ST 3900 B ST/2 2 Edelstahl		0		0	0	0	0	0
98	1792326	4049577003713	ST 3900 B ST/3 Edelstahl 250V/16 Ampere		0		0	0	0	0	0
98	1792426	4049577003706	ST 3900 B ST/4 4 Edelstahl		0		0	0	0	0	0
104	19106ST2	4049577003881	E 1000/ST 2 Edelstahl Optik 223 mm		0		0	0	0	0	0
104	19106ST/3	4049577016898	E 1000/ST 3 Edelstahl Optik		0		0	0	0	0	0
104	19106STS2	4049577003867	E 1000/STS 2 Edelstahl Optik 223 mm		0		0	0	0	0	0
104	19106STS3	4049577025111	E 1000/STS 3 Edelstahl Optil 344 mm		0		0	0	0	0	0
104	19107ST2	4049577026675	E 1000/ST 2 Schuko Aluminium 223 mm		0		0	0	0	0	0
104	19107ST3	4049577021434	E 1000/ST 3 Schuko Aluminium 344 mm		0		0	0	0	0	0
104	19107STS2	4049577003874	E 1000/STS 2 Schuko Aluminium 223 mm		0		0	0	0	0	0
104	19107STS3	4049577017383	E 1000/STS 3 Schuko Aluminium 344 mm		0		0	0	0	0	0
118	19847/T5	4049577007384	E 8000 Glasbodenleuchte 8 Watt T5 ALU	T5 8 W G5	4200	weiss	400	50	8	8,8	80A
118	19867/T5	4049577007865	E 8000 Glasbodenleuchte 13 Watt T5 ALU	T5 13 W G5	4200	weiss	880	67,69	13	14,3	80A
103	228896ST/2	4049577008169	ST/2 889 Steckdosenelement 2-fach		0		0	0	0	0	0

Tabelle1

103	228896ST2SI	4049577092670	ST/2 889 SI Steckdosenelement 2-fach			0		0	0	0	0	
103	228896STS	4049577002150	STS 889 Schalter Steckdosenelement			0		0	0	0	0	
103	228896STSSI	4049577093448	STS 889 SI Schalter Steckdosenelement			0		0	0	0	0	
103	228898ST2SI	4049577169938	ST/2 889 SI Steckdosenelement schwarz			0		0	0	0	0	
103	228898STSSI	4049577169945	STS 889 SI Schalter Steckdose schwarz			0		0	0	0	0	
21	260016	4049577163202	LED 500 SET Schalter edelstahl			0		0	0	0	0	
21	26002DC	4049577161789	LED Netzteil *24 V* / 60 Watt DC			0		0	0	0	0	
21	26002DCHS	4049577163196	LED HS Netzteil *24 V* / 60 Watt DC			0		0	0	0	0	
21	260026	4049577163240	LED 501 SET Schalter edelstahl 12/24 V			0		0	0	0	0	
7	2608136	4049577164766	LED E 801/45 Edelstahl 240 Volt/AC	SMD2835 LED 12V	3000	warmweiss	700	87,5	8	8,8	85	A+
7	2608136.9	4049577164759	LED E 801/45 Edelstahl 240 Volt/AC	SMD2835 LED 12V	4000	weiss	700	87,5	8	8,8	85	A+
7	2608138	4049577172242	LED E 801/45 schwarz 240 Volt/AC	SMD2835 LED 12V	3000	warmweiss	700	87,5	8	8,8	85	A+
7	2608138.9	4049577172259	LED E 801/45 schwarz 240 Volt/AC	SMD2835 LED 12V	4000	weiss	700	87,5	8	8,8	85	A+
7	2608146	4049577164742	LED E 801/60 Edelstahl 240 Volt/AC	SMD2835 LED 12V	3000	warmweiss	900	90	10	11	85	A+
7	2608146.9	4049577164735	LED E 801/60 Edelstahl 240 Volt/AC	SMD2835 LED 12V	4000	weiss	900	90	10	11	85	A+
7	2608148	4049577172235	LED E 801/60 schwarz 240 Volt/AC	SMD2835 LED 12V	3000	warmweiss	900	90	10	11	85	A+
7	2608148.9	4049577172228	LED E 801/60 schwarz 240 Volt/AC	SMD2835 LED 12V	4000	weiss	900	90	10	11	85	A+
7	2608176	4049577164728	LED E 801/90 Edelstahl 240 Volt/AC	SMD2835 LED 12V	3000	warmweiss	1280	91,43	14	15,4	85	A+
7	2608176.9	4049577164711	LED E 801/90 Edelstahl 240 Volt/AC	SMD2835 LED 12V	4000	weiss	1280	91,43	14	15,4	85	A+
7	2608178	4049577172204	LED E 801/90 schwarz 240 Volt/AC	SMD2835 LED 12V	3000	warmweiss	1280	91,43	14	15,4	85	A+
7	2608178.9	4049577172211	LED E 801/90 schwarz 240 Volt/AC	SMD2835 LED 12V	4000	weiss	1280	91,43	14	15,4	85	A+
7	2608196	4049577164704	LED E 801/120 Edelstahl 240 Volt/AC	SMD2835 LED 12V	3000	warmweiss	1920	91,43	21	23,1	85	A+
7	2608196.9	4049577164698	LED E 801/120 Edelstahl 240 Volt/AC	SMD2835 LED 12V	4000	weiss	1920	91,43	21	23,1	85	A+
7	2608198	4049577172174	LED E 801/120 schwarz 240 Volt/AC	SMD2835 LED 12V	3000	warmweiss	1920	91,43	21	23,1	85	A+
7	2608198.9	4049577172181	LED E 801/120 schwarz 240 Volt/AC	SMD2835 LED 12V	4000	weiss	1920	91,43	21	23,1	85	A+
6	260836	4049577162991	LED R 801/45 Edelstahl 240 Volt/AC	SMD2835 LED 12V	3000	warmweiss	700	87,5	8	8,8	85	A+
6	260836.9	4049577164643	LED R 801/45 Edelstahl 240 Volt/AC	SMD2835 LED 12V	4000	weiss	700	87,5	8	8,8	85	A+
6	260838	4049577172266	LED R 801/45 schwarz 240 Volt/AC	SMD2835 LED 12V	3000	warmweiss	700	87,5	8	8,8	85	A+
6	260838.9	4049577172273	LED R 801/45 schwarz 240 Volt/AC	SMD2835 LED 12V	4000	weiss	700	87,5	8	8,8	85	A+
6	260846	4049577162984	LED R 801/60 Edelstahl 240 Volt/AC	SMD2835 LED 12V	3000	warmweiss	900	90	10	11	85	A+
6	260846.9	4049577164650	LED R 801/60 Edelstahl 240 Volt/AC	SMD2835 LED 12V	4000	weiss	900	90	10	11	85	A+
6	260848	4049577172280	LED R 801/60 schwarz 240 Volt/AC	SMD2835 LED 12V	3000	warmweiss	900	90	10	11	85	A+
6	260848.9	4049577172303	LED R 801/60 schwarz 240 Volt/AC	SMD2835 LED 12V	4000	weiss	900	90	10	11	85	A+
6	260876	4049577162397	LED R 801/90 Edelstahl 240 Volt/AC	SMD2835 LED 12V	3000	warmweiss	1280	91,43	14	15,4	85	A+
6	260876.9	4049577164667	LED R 801/90 Edelstahl 240 Volt/AC	SMD2835 LED 12V	4000	weiss	1280	91,43	14	15,4	85	A+
6	260878	4049577172310	LED R 801/90 schwarz 240 Volt/AC	SMD2835 LED 12V	3000	warmweiss	1280	91,43	14	15,4	85	A+
6	260878.9	4049577172327	LED R 801/90 schwarz 240 Volt/AC	SMD2835 LED 12V	4000	weiss	1280	91,43	14	15,4	85	A+
6	260896	4049577162977	LED R 801/120 Edelstahl 240 Volt/AC	SMD2835 LED 12V	3000	warmweiss	1920	91,43	21	23,1	85	A+
6	260896.9	4049577164674	LED R 801/120 Edelstahl 240 Volt/AC	SMD2835 LED 12V	4000	weiss	1920	91,43	21	23,1	85	A+
9	260898	4049577172341	LED R 801/120 schwarz 240 Volt/AC	SMD2835 LED 12V	3000	warmweiss	1920	91,43	21	23,1	85	A+
6	260898.9	4049577172334	LED R 801/120 schwarz 240 Volt/AC	SMD2835 LED 12V	4000	weiss	1920	91,43	21	23,1	85	A+

Tabelle1

4	2615076	4049577164131	LED 150 Pendelleuchte 900 mm Edelstahl	SMD2835 LED 12V	3000	warmweiss	1280	91,43	14	15,4	85	A+
4	2615076.9	4049577164773	LED 150 Pendelleuchte 900 mm Edelstahl	SMD2835 LED 12V	4000	weiss	1280	91,43	14	15,4	85	A+
4	2615096	4049577164148	LED 150 Pendelleuchte 1200 mm Edelstahl	SMD2835 LED 12V	3000	warmweiss	1920	91,43	21	23,1	85	A+
4	2615096.9	4049577164780	LED 150 Pendelleuchte 1200 mm Edelstahl	SMD2835 LED 12V	4000	weiss	1920	91,43	21	23,1	85	A+
5	2616077	4049577167156	LED 160 Pendelleuchte 900 mm ALU	SMD2835 LED 12V	3000	warmweiss	1280	91,43	14	15,4	85	A+
5	2616077.9	4049577167163	LED 160 Pendelleuchte 900 mm ALU	SMD2835 LED 12V	4000	weiss	1280	91,43	14	15,4	85	A+
5	2616097	4049577167019	LED 160 Pendelleuchte 1200 mm ALU	SMD2835 LED 12V	3000	warmweiss	1920	91,43	21	23,1	85	A+
5	2616097.9	4049577167170	LED 160 Pendelleuchte 1200 mm ALU	SMD2835 LED 12V	4000	weiss	1920	91,43	21	23,1	85	A+
10	2650026	4049577162571	LED 500/30 Edelstahl 12 V DC 2,5 W	SMD2835 LED 12V	3000	warmweiss	230	92	2,5	2,75	85	A+
10	2650026.9	4049577164810	LED 500/30 Edelstahl 12 V DC 2,5 W	SMD2835 LED 12V	4000	weiss	230	92	2,5	2,75	85	A+
10	2650046	4049577162588	LED 500/45 Edelstahl 12 V DC 4 Watt	SMD2835 LED 12V	3000	warmweiss	350	87,5	4	4,4	85	A+
10	2650046.9	4049577164827	LED 500/45 Edelstahl 12 V DC 4 Watt	SMD2835 LED 12V	4000	weiss	350	87,5	4	4,4	85	A+
10	2650056	4049577162595	LED 500/60 Edelstahl 12 Volt DC 5,5 W	SMD2835 LED 12V	3000	warmweiss	450	81,82	5,5	6,05	85	A+
10	2650056.9	4049577164834	LED 500/60 Edelstahl 12 Volt DC 5,5 W	SMD2835 LED 12V	4000	weiss	450	81,82	5,5	6,05	85	A+
10	2650076	4049577162601	LED 500/90 Edelstahl 12 V 8,2 Watt	SMD2835 LED 12V	3000	warmweiss	740	90,24	8,2	9,02	85	A+
10	2650076.9	4049577164841	LED 500/90 Edelstahl 12 V 8,2 Watt	SMD2835 LED 12V	4000	weiss	740	90,24	8,2	9,02	85	A+
10	2650096	4049577163257	LED 500/120 Edelstahl 12 V 11 Watt	SMD2835 LED 12V	3000	warmweiss	980	89,09	11	12,1	85	A+
10	2650096.9	4049577164858	LED 500/120 Edelstahl 12 V 11 Watt	SMD2835 LED 12V	4000	weiss	980	89,09	11	12,1	85	A+
11	2651026	4049577162618	LED 501/30 Edelstahl 12 V DC 2,5 Watt	SMD2835 LED 12V	3000	warmweiss	230	92	2,5	2,75	85	A+
11	2651026.9	4049577164865	LED 501/30 Edelstahl 12 V DC 2,5 Watt	SMD2835 LED 12V	4000	weiss	230	92	2,5	2,75	85	A+
11	2651046	4049577162625	LED 501/45 Edelstahl 12 V DC 4 Watt	SMD2835 LED 12V	3000	warmweiss	350	87,5	4	4,4	85	A+
11	2651046.9	4049577164872	LED 501/45 Edelstahl 12 V DC 4 Watt	SMD2835 LED 12V	4000	weiss	350	87,5	4	4,4	85	A+
11	2651056	4049577162632	LED 501/60 Edelstahl 12 V DC 5,5 Watt	SMD2835 LED 12V	3000	warmweiss	450	81,82	5,5	6,05	85	A+
11	2651056.9	4049577164889	LED 501/60 Edelstahl 12 V DC 5,5 Watt	SMD2835 LED 12V	4000	weiss	450	81,82	5,5	6,05	85	A+
11	2651076	4049577162649	LED 501/90 Edelstahl 12 V DC 8,2 Watt	SMD2835 LED 12V	3000	warmweiss	740	90,24	8,2	9,02	85	A+
11	2651076.9	4049577164896	LED 501/90 Edelstahl 12 V DC 8,2 Watt	SMD2835 LED 12V	4000	weiss	740	90,24	8,2	9,02	85	A+
11	2651096	4049577163219	LED 501/120 Edelstahl 12 V DC 11 Watt	SMD2835 LED 12V	3000	warmweiss	980	89,09	11	12,1	85	A+
11	2651096.9	4049577164902	LED 501/120 Edelstahl 12 V DC 11 Watt	SMD2835 LED 12V	4000	weiss	980	89,09	11	12,1	85	A+
13	2651126	4049577166999	LED 511/30 Edelstahl 12 V DC 2,5 Watt	SMD2835 LED 12V	3000	warmweiss	230	92	2,5	2,75	85	A+
13	2651126HS	4049577167002	LED 511/30 HS Edelstahl 12 V DC 2,5W	SMD2835 LED 12V	3000	warmweiss	230	92	2,5	2,75	85	A+
13	2651146	4049577166906	LED 511/45 Edelstahl 12 V DC 4 Watt	SMD2835 LED 12V	3000	warmweiss	350	87,5	4	4,4	85	A+
13	2651146HS	4049577166913	LED 511/45 HS Edelstahl 12 V DC 4 Watt	SMD2835 LED 12V	3000	warmweiss	350	87,5	4	4,4	85	A+
13	2651156	4049577166920	LED 511/60 Edelstahl 12 V DC 5,5 Watt	SMD2835 LED 12V	3000	warmweiss	450	81,82	5,5	6,05	85	A+
13	2651156HS	4049577166937	LED 511/60 HS Edelstahl 12V DC 5,5W	SMD2835 LED 12V	3000	warmweiss	450	81,82	5,5	6,05	85	A+
13	2651176	4049577166944	LED 511/90 Edelstahl 12 V DC 8,2 Watt	SMD2835 LED 12V	3000	warmweiss	740	90,24	8,2	9,02	85	A+
13	2651176HS	4049577166951	LED 511/90 HS Edelstahl 12 V DC 8,2 W	SMD2835 LED 12V	3000	warmweiss	740	90,24	8,2	9,02	85	A+
13	2651196	4049577166975	LED 511/120 Edelstahl 12 V DC 11 W	SMD2835 LED 12V	3000	warmweiss	980	89,09	11	12,1	85	A+
13	2651196HS	4049577166982	LED 511/120 HS Edelstahl 12 V DC 11 W	SMD2835 LED 12V	3000	warmweiss	980	89,09	11	12,1	85	A+
10	2656006	4049577164575	LED Schalterkit mit Netzteil		0		0		0	0	0	
20	267240	4049577165046	Anschlussleitung weiss abgewinkelt		0		0		0	0	0	
20	2672400	4049577165077	Direktverbinder 24 V DC zu LED R 724		0		0		0	0	0	

Tabelle1

20	267241	4049577165060	Eckverbinder weiss 150 mm 24 Volt DC		0		0		0	0	
20	2672457	4049577165015	LED R 724/60 Reihenleuchte 24 Volt DC	SMD LED 3014	3200	warmweiss	525	75	7	7,7	85A+
20	2672477	4049577165022	LED R 724/90 Reihenleuchte 24 Volt DC	SMD LED 3014	3200	warmweiss	788	78,8	10	11	85A
20	2672497	4049577165039	LED R 724/120 Reihenleuchte 24 Volt DC	SMD LED 3014	3200	warmweiss	1022	78,62	13	14,3	85A
51	2810016	4049577085825	LED 100 - 2 Unterbauleuchte	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85A+
51	2810016SET2	4049577085849	LED 100 - 2 Unterbau SET 2	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85A+
51	2810016SET3	4049577085832	LED 100 - 2 Unterbau SET 3	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85A+
51	2810016SET4	4049577085856	LED 100 - 2 Unterbau SET 4	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85A+
51	2810016SET5	4049577085863	LED 100 - 2 Unterbau SET 5	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85A+
52	281006	4049577081667	LED 100 - 1 Sockelleuchte Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85A+
52	281006SET2	4049577084859	LED 100 - 1 SET 2	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85A+
52	281006SET3	4049577081919	LED 100 - 1 SET 3	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85A+
52	281006SET4	4049577084866	LED 100 - 1 SET 4	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85A+
52	281006SET5	4049577081926	LED 100 - 1 SET 5	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85A+
52	281006.9	4049577139252	LED 100 - 1 Sockelleuchte Edelstahl	SMD3014 LED 12V	4000	weiss	170	85	2	2,2	90A+
52	281006.9S2	4049577139269	LED 100 - 1 SET 2	SMD3014 LED 12V	4000	weiss	170	85	2	2,2	90A+
52	281006.9S3	4049577139276	LED 100 - 1 SET 3	SMD3014 LED 12V	4000	weiss	170	85	2	2,2	90A+
52	281006.9S4	4049577139283	LED 100 - 1 SET 4	SMD3014 LED 12V	4000	weiss	170	85	2	2,2	90A+
52	281006.9S5	4049577139290	LED 100 - 1 SET 5	SMD3014 LED 12V	4000	weiss	170	85	2	2,2	90A+
66	2811827	4049577070661	LED 182 Tabora Oberschrankleuchte	Radial LED60°3mm	3500	warmweiss	50	52,08	0,96	1,06	85A+
66	2811827SET2	4049577070890	LED 182 Tabora SET 2 alufarben	Radial LED60°3mm	3500	warmweiss	50	52,08	0,96	1,06	85A+
66	2811827SET3	4049577070906	LED 182 Tabora SET 3 alufarben	Radial LED60°3mm	3500	warmweiss	50	52,08	0,96	1,06	85A+
66	2811827SET4	4049577070913	LED 182 Tabora SET 4 alufarben	Radial LED60°3mm	3500	warmweiss	50	52,08	0,96	1,06	85A+
66	2811827SET5	4049577070920	LED 182 Tabora SET 5 alufarben	Radial LED60°3mm	3500	warmweiss	50	52,08	0,96	1,06	85A+
67	284200A	4049577083166	LED 20-23 Einspeisesystem mit 2 meter		0		0		0	0	
67	284200EV	4049577096340	LED 20-23 Eckverbinder 50 mm		0		0		0	0	
67	284200LS	4049577117069	LED Strip 20-25 Loetservice		0		0		0	0	
67	284200V	4049577083197	LED 20-23 Verbindersystem		0		0		0	0	
67	284201	4049577051400	LED 20-1 weiss 1 m B:8 H:3	SMD3528 LED 12V	6000	Tageslicht	330	52,88	6,24	6,86	80A
67	284201.8	4049577091109	LED 20.8 warmweiss 1 m B:8 H:360 LED 12	SMD3528 LED 12V	3000	warmweiss	330	52,88	6,24	6,86	80A
67	284201.9	4049577150257	LED 20.9-1 weiss 1 m B:8 H:3	SMD3528 LED 12V	4000	weiss	330	52,88	6,24	6,86	85A
67	284202	4049577081551	LED 20-2 weiss 2 m B:8 H:3	SMD3528 LED 12V	6000	Tageslicht	660	57,39	11,5	12,65	80A
67	284202.8	4049577091116	LED 20.8-2 warmweiss 2 m B:8 H:3	SMD3528 LED 12V	3000	warmweiss	660	57,39	11,5	12,65	80A
67	284202.9	4049577150264	LED 20.9-2 weiss 2 m B:8 H:3	SMD3528 LED 12V	4000	weiss	660	57,39	11,5	12,65	85A
67	284203	4049577081537	LED 20-3 weiss 3 m B:8 H:3	SMD3528 LED 12V	6000	Tageslicht	990	61,88	16	17,6	80A
67	284203.8	4049577091123	LED 20-3 warm weiss 3 m B:8 H:3	SMD3528 LED 12V	3000	warmweiss	990	61,88	16	17,6	80A
67	284203.9	4049577150271	LED 20.9-3 weiss 3 m B:8 H:3	SMD3528 LED 12V	4000	weiss	990	61,88	16	17,6	85A
67	284204	4049577081568	LED 20-4 weiss 4 m B:8 H:3	SMD3528 LED 12V	6000	Tageslicht	1320	66	20	22	80A
67	284204.8	4049577091130	LED 20.8-4 warm weiss 4 m B:8 H:3	SMD3528 LED 12V	3000	warmweiss	1320	66	20	22	80A
67	284204.9	4049577150288	LED 20.9-4 weiss 4 m B:8 H:3	SMD3528 LED 12V	4000	weiss	1320	66	20	22	85A
67	284205	4049577081520	LED 20-5 weiss 6000 K Rolle 5 m B:8 H:3	SMD3528 LED 12V	6000	Tageslicht	1650	66	25	27,5	80A

Tabelle1

67	284205KIT	4049577102850	LED 20-5 KIT cool weiss	SMD3528 LED 12V	6000	Tageslicht	1650	66	25	27,5	80	A
67	284205.8	4049577091147	LED 20.8-5 warmweiss Rolle 5 m B:8 H:3	SMD3528 LED 12V	3000	warmweiss	1650	66	25	27,5	80	A
67	284205.8KIT	4049577102867	LED 20.8-5 KIT warmweiss	SMD3528 LED 12V	3000	warmweiss	1650	66	25	27,5	80	A
67	284205.9	4049577150295	LED 20.9-5 weiss 5 m B:8 H:3	SMD3528 LED 12V	4000	weiss	1650	63,46	26	28,6	85	A
67	284205.9KIT	4049577150318	LED 20.9-5 KIT weiss 5 m B:8 H:3	SMD3528 LED 12V	4000	weiss	1650	63,46	26	28,6	85	A
68	284231	4049577097637	LED 23-1 weiss 1 m B:8 mm H:3 mm	SMD3528 LED 12V	6000	Tageslicht	300	55,56	5,4	5,94	80	A
68	284231.8	4049577097729	LED 23-1 warm weiss 1 m B:8 mm H:3 mm	SMD3528 LED 12V	3000	warmweiss	300	55,56	5,4	5,94	80	A
68	284231.9	4049577141705	LED 23-1 weiss 1 m B:8 mm H:3 mm	SMD3528 LED 12V	4000	weiss	300	55,56	5,4	5,94	85	A
68	284232	4049577097644	LED 23-2 weiss 2 m B:8 mm H:3 mm	SMD3528 LED 12V	6000	Tageslicht	620	60,19	10,3	11,33	80	A
68	284232.8	4049577097712	LED 23-2 warm weiss 2 m B:8 mm H:3 mm	SMD3528 LED 12V	3000	warmweiss	620	60,19	10,3	11,33	80	A
68	284232.9	4049577141712	LED 23-2 weiss 2 m B:8 mm H:3 mm	SMD3528 LED 12V	4000	weiss	620	60,19	10,3	11,33	85	A
68	284233	4049577097651	LED 23-3 weiss 3 m B:8 mm H:3 mm	SMD3528 LED 12V	6000	Tageslicht	990	68,28	14,5	15,95	80	A
68	284233.8	4049577097705	LED 23-3 warm weiss 3 m B:8 mm H:3 mm	SMD3528 LED 12V	3000	warmweiss	990	68,28	14,5	15,95	80	A
68	284233.9	4049577141729	LED 23-3 weiss 3 m B:8 mm H:3 mm	SMD3528 LED 12V	4000	weiss	990	68,28	14,5	15,95	85	A
68	284234	4049577097668	LED 23-4 weiss 4 m B:8 mm H:3 mm	SMD3528 LED 12V	6000	Tageslicht	1320	73,33	18	19,8	80	A
68	284234.8	4049577097699	LED 23-4 warm weiss 4 m B:8 H:3 mm	SMD3528 LED 12V	3000	warmweiss	660	36,67	18	19,8	80	A
68	284234.9	4049577141736	LED 23-4 weiss 4 m B:8 H:3 mm	SMD3528 LED 12V	4000	weiss	1320	73,33	18	19,8	85	A
68	284235	4049577097675	LED 23-5 weiss 5 m B:8 mm H:3 mm	SMD3528 LED 12V	6000	Tageslicht	1650	66	25	27,5	80	A
68	284235KIT	4049577102928	LED 23-5 KIT cool weiss waterproof	SMD3528 LED 12V	6000	Tageslicht	1650	66	25	27,5	80	A
68	284235.8	4049577097682	LED 23-5 warm weiss 5 m B:8 mm H:3 mm	SMD3528 LED 12V	3000	warmweiss	1650	66	25	27,5	80	A
68	284235.8KIT	4049577102935	LED 23-5.8 KIT warm weiss waterproof	SMD3528 LED 12V	3000	warmweiss	1650	66	25	27,5	80	A
68	284235.9	4049577141743	LED 23-5 weiss 5 m B:8 mm H:3 mm	SMD3528 LED 12V	4000	weiss	1650	66	25	27,5	85	A
68	284235.9KIT	4049577141750	LED 23-5 KIT weiss waterproof	SMD3528 LED 12V	4000	weiss	1650	66	25	27,5	85	A
69	284240A	4049577124968	LED 24 Einspeisesystem mit 2 meter		0		0		0	0	0	
69	284240EV	4049577129796	LED 24 Eckverbinder 50 mm		0		0		0	0	0	
69	284240V	4049577124159	LED 24 Verbindersystem		0		0		0	0	0	
69	284241	4049577107466	LED 24-1 weiss 1 m B:8 H:3	SMD3528 LED 12V	6000	Tageslicht	580	76,32	7,6	8,36	80	A+
69	284241.8	4049577107558	LED 24-1 warm weiss 1 m B:8 H:3	SMD3528 LED 12V	3000	warmweiss	580	76,32	7,6	8,36	80	A+
69	284241.9	4049577147301	LED 24-1 weiss 1 m B:8 H:3	SMD3528 LED 12V	4000	weiss	580	76,32	7,6	8,36	85	A+
69	284242	4049577107473	LED 24-2 weiss 2 m B:8 H:3	SMD3528 LED 12V	6000	Tageslicht	1250	88,03	14,2	15,62	80	A+
69	284242.8	4049577107541	LED 24-2 warm weiss 2 m B:8 H:3	SMD3528 LED 12V	3000	warmweiss	1250	88,03	14,2	15,62	80	A+
69	284242.9	4049577147295	LED 24-2 weiss 2 m B:8 H:3	SMD3528 LED 12V	4000	weiss	1250	88,03	14,2	15,62	85	A+
69	284243	4049577107480	LED 24-3 weiss 3 m B:8 H:3	SMD3528 LED 12V	6000	Tageslicht	1740	89,23	19,5	21,45	80	A+
69	284243.8	4049577107534	LED 24-3 warm weiss 3 m B:8 H:3	SMD3528 LED 12V	3000	warmweiss	1740	89,23	19,5	21,45	80	A+
69	284243.9	4049577147288	LED 24-3 weiss 3 m B:8 H:3	SMD3528 LED 12V	4000	weiss	1740	89,23	19,5	21,45	85	A+
69	284244	4049577107497	LED 24-4 weiss 4 m B:8 H:3	SMD3528 LED 12V	6000	Tageslicht	2320	99,57	23,3	25,63	80	A+
69	284244.8	4049577107527	LED 24-4 warm weiss 4 m B:8 H:3	SMD3528 LED 12V	3000	warmweiss	2320	99,57	23,3	25,63	80	A+
69	284244.9	4049577147271	LED 24-4 weiss 4 m B:8 H:3	SMD3528 LED 12V	4000	weiss	2320	99,57	23,3	25,63	85	A+
69	284245	4049577107503	LED 24-5 weiss 5 m B:8 H:3	SMD3528 LED 12V	6000	Tageslicht	2900	90,62	32	35,2	80	A+
69	284245KIT	4049577152091	LED 24 KIT cool weiss 5 m B:8 H:3	SMD3528 LED 12V	6000	Tageslicht	2900	90,62	32	35,2	80	A+
69	284245.8	4049577107510	LED 24-5 warmweiss 5 m B:8 H:3	SMD3528 LED 12V	3000	warmweiss	2900	90,62	32	35,2	80	A+

Tabelle1

69	284245.8KIT	4049577152077	LED 24 KIT warm weiss 5 m B:8 H:3	SMD3528 LED 12V	3000	warmweiss	2900	90,62	32	35,2	80	A+
69	284245.9	4049577147264	LED 24-5 weiss 5 m B:8 H:3	SMD3528 LED 12V	4000	weiss	2900	90,62	32	35,2	85	A+
69	284245.9KIT	4049577152084	LED 24 KIT weiss 5 m B:8 H:3	SMD3528 LED 12V	4000	weiss	2900	90,62	32	35,2	85	A+
70	284250A	4049577112644	LED 25 Einspeisesystem mit 2 meter		0		0		0	0	0	
70	284250EV	4049577113818	LED 25 Eckverbinder 50 mm		0		0		0	0	0	
70	284250V	4049577112620	LED 25 Verbindersystem		0		0		0	0	0	
70	284251	4049577112699	LED 25-1 weiss 1 m B:10 H:3	SMD5050 LED 12V	6000	Tageslicht	620	56,36	11	12,1	80	A
70	284251.8	4049577112712	LED 25-1 warm weiss 1 m B:10 H:3	SMD5050 LED 12V	3000	warmweiss	620	56,36	11	12,1	80	A
70	284251.9	4049577150127	LED 25-1 weiss 1 m B:10 H:3	SMD5050 LED 12V	4000	weiss	620	56,36	11	12,1	85	A
70	284252	4049577112736	LED 25-2 weiss 2 m B:10 H:3	SMD5050 LED 12V	6000	Tageslicht	1260	64,62	19,5	21,45	80	A
70	284252.8	4049577112743	LED 25-2 warm weiss 2 m B:10 H:3	SMD5050 LED 12V	3000	warmweiss	1260	64,62	19,5	21,45	80	A
70	284252.9	4049577150134	LED 25-1 weiss 2 m B:10 H:3	SMD5050 LED 12V	4000	weiss	1260	64,62	19,5	21,45	85	A
70	284253	4049577112750	LED 25-3 weiss 3 m B:10 H:3	SMD5050 LED 12V	6000	Tageslicht	1860	71,54	26	28,6	80	A
70	284253.8	4049577112767	LED 25-3 warm weiss 3 m B:10 H:3	SMD5050 LED 12V	3000	warmweiss	1860	71,54	26	28,6	80	A
70	284253.9	4049577150141	LED 25-3 weiss 3 m B:10 H:3	SMD5050 LED 12V	4000	weiss	1860	71,54	26	28,6	85	A
70	284254	4049577112774	LED 25-4 weiss 4 m B:10 H:3	SMD5050 LED 12V	6000	Tageslicht	2530	81,61	31	34,1	80	A
70	284254.8	4049577112781	LED 25-4 warm weiss 4 m B:10 H:3	SMD5050 LED 12V	3000	warmweiss	2530	81,61	31	34,1	80	A
70	284254.9	4049577150158	LED 25-4 weiss 4 m B:10 H:3	SMD5050 LED 12V	4000	weiss	2530	81,61	31	34,1	85	A
70	284255	4049577112705	LED 25-5 weiss 5 m B:10 H:3	SMD5050 LED 12V	6000	Tageslicht	3100	77,5	40	44	80	A
70	284255KIT	4049577112798	LED 25-5 KIT cool weiss	SMD5050 LED 12V	6000	Tageslicht	3100	77,5	40	44	80	A
70	284255.8	4049577112729	LED 25-5 warm weiss 5 m B:10 H:3	SMD5050 LED 12V	3000	warmweiss	3100	77,5	40	44	80	A
70	284255.8KIT	4049577112811	LED 25.8-5 KIT warmweiss	SMD5050 LED 12V	3000	warmweiss	3100	77,5	40	44	80	A
70	284255.9	4049577150165	LED 25-5 weiss 5 m B:10 H:3	SMD5050 LED 12V	4000	weiss	3100	77,5	40	44	85	A
70	284255.9KIT	4049577152107	LED 25.9-5 KIT weiss	SMD5050 LED 12V	4000	weiss	3100	77,5	40	44	85	A
71	284261	4049577157317	LED 26-1 L:1 m B:8mm H:2mm	SMD2835 LED 12V	6000	Tageslicht	818	88,91	9,2	10,12	85	A+
71	284261.8	4049577157287	LED 26-1 L:1 m B:8mm H:2mm WW	SMD2835 LED 12V	3000	warmweiss	818	88,91	9,2	10,12	85	A+
71	284261.9	4049577157256	LED 26-1 L:1 m B:8mm H:2mm NW	SMD2835 LED 12V	4000	weiss	818	83,47	9,8	10,78	85	A+
71	284262	4049577157300	LED 26-2 L:2 m B:8mm H:2mm	SMD2835 LED 12V	6000	Tageslicht	1637	93,54	17,5	19,25	85	A+
71	284262.8	4049577157270	LED 26-2 L:2 m B:8mm H:2mm WW	SMD2835 LED 12V	3000	warmweiss	1637	93,54	17,5	19,25	85	A+
71	284262.9	4049577157249	LED 26-2 L:2 m B:8mm H:2mm NW	SMD2835 LED 12V	4000	weiss	1637	93,54	17,5	19,25	85	A+
71	284263	4049577157294	LED 26-3 L:3 m B:8mm H:2mm	SMD2835 LED 12V	6000	Tageslicht	2455	105,82	23,2	25,52	85	A+
71	284263.8	4049577157263	LED 26-3 L:3 m B:8mm H:2mm WW	SMD2835 LED 12V	3000	warmweiss	2455	105,82	23,2	25,52	85	A+
71	284263.9	4049577157232	LED 26-3 L:3 m B:8mm H:2mm NW	SMD2835 LED 12V	4000	weiss	2455	105,82	23,2	25,52	85	A+
71	284264	4049577157201	LED 26-4 L:4 m B:8mm H:2mm	SMD2835 LED 12V	6000	Tageslicht	3274	121,26	27	29,7	85	A+
71	284264.8	4049577157218	LED 26-4 L:4 m B:8mm H:2mm WW	SMD2835 LED 12V	3000	warmweiss	3274	121,26	27	29,7	85	A+
71	284264.9	4049577157225	LED 26-4 L:4 m B:8mm H:2mm NW	SMD2835 LED 12V	4000	weiss	3274	121,26	27	29,7	85	A+
71	284265	4049577157171	LED 26-5 L:5 m B:8mm H:2mm	SMD2835 LED 12V	6000	Tageslicht	4092	127,87	32	35,2	85	A+
71	284265.8	4049577157188	LED 26-5 L:5 m B:8mm H:2mm WW	SMD2835 LED 12V	3000	warmweiss	4092	127,87	32	35,2	85	A+
71	284265.9	4049577157195	LED 26-5 L:5 m B:8mm H:2mm NW	SMD2835 LED 12V	4000	weiss	4092	127,87	32	35,2	85	A+
74	28859000	4049577123640	ESBL 59 Einsteckblende 14x1200 mm		0		0		0	0	0	
74	28859240	4049577123633	ESBL 59 Einsteckblende 14x2400 mm		0		0		0	0	0	

Tabelle1

74	2886120	4049577124456	ESBL 60 Einsteckblende PMMA 25x1200 mm		0		0		0	0	0	
74	2886240	4049577118523	ESBL 60 Einsteckblende PMMA 25x2400 mm		0		0		0	0	0	
16	28864207	4049577131447	LED 64/300 Trapez ALU Profil CW	SMD3528 LED 12V	5000	kaltweiss	200	50	4	4,4	80	A+
16	28864207.8	4049577131485	LED 64/300 WW Trapez ALU Profil	SMD3528 LED 12V	3000	warmweiss	200	50	4	4,4	80	A+
16	28864207.9	4049577135568	LED 64 /300 WW Trapez ALU Profil	SMD3528 LED 12V	4000	weiss	200	50	4	4,4	85	A+
16	28864217	4049577138651	LED 64 W/300 Trapez ALU Profil	SMD3528 LED 12V	3000	warmweiss	189	50	3,77	4,4	80	A+
16	28864507	4049577131539	LED 64/600 Trapez ALU Profil CW	SMD3528 LED 12V	5000	kaltweiss	760	80,85	9,4	10,34	80	A+
16	28864507.8	4049577131546	LED 64/600 WW Trapez ALU Profil	SMD3528 LED 12V	3000	warmweiss	760	80,85	9,4	10,34	80	A+
16	28864507.9	4049577135582	LED 64 /600 Trapez ALU Profil	SMD3528 LED 12V	4000	weiss	760	80,85	9,4	10,34	85	A+
16	28864517	4049577138675	LED 64 W/600 Trapez ALU Profil	SMD3528 LED 12V	3000	warmweiss	679	80,85	8,39	10,34	80	A+
16	28864707	4049577131584	LED 64/900 Trapez ALU Profil CW	SMD3528 LED 12V	5000	kaltweiss	830	59,29	14	15,4	80	A+
16	28864707.8	4049577131591	LED 64/900 Trapez ALU Profil WW	SMD3528 LED 12V	3000	warmweiss	830	59,29	14	15,4	80	A+
16	28864707.9	4049577135599	LED 64 /900 Trapez ALU Profil	SMD3528 LED 12V	4000	weiss	830	59,29	14	15,4	85	A+
16	28864717	4049577138682	LED 64 W/900 Trapez ALU Profil	SMD3528 LED 12V	3000	warmweiss	697	59,29	11,76	15,4	80	A+
16	28864807	4049577131621	LED 64/1000 Trapez ALU Profil CW	SMD3528 LED 12V	5000	kaltweiss	870	61,27	14,2	15,62	80	A+
16	28864807.8	4049577131638	LED 64/1000 Trapez ALU Profil WW	SMD3528 LED 12V	3000	warmweiss	870	61,27	14,2	15,62	80	A+
16	28864807.9	4049577135605	LED 64 /1000 Trapez ALU Profil	SMD3528 LED 12V	4000	weiss	870	61,27	14,2	15,62	85	A+
16	28864817	4049577138699	LED 64 W/1000 Trapez ALU Profil	SMD3528 LED 12V	3000	warmweiss	725	61,27	11,83	15,62	80	A+
16	28864907	4049577131669	LED 64/1200 Trapez ALU Profil CW	SMD3528 LED 12V	5000	kaltweiss	1500	88,24	17	18,7	80	A+
16	28864907.8	4049577131676	LED 64/1200 Trapez ALU Profil WW	SMD3528 LED 12V	3000	warmweiss	1500	88,24	17	18,7	80	A+
16	28864907.9	4049577135612	LED 64 /1200 Trapez ALU Profil	SMD3528 LED 12V	4000	weiss	1500	88,24	17	18,7	85	A+
16	28864917	4049577138705	LED 64 W/1200 Trapez ALU Profil	SMD3528 LED 12V	3000	warmweiss	1210	88,24	13,71	18,7	80	A+
17	2886500G	4049577126191	Gelenkset zu Trapezprofil LED65		0		0		0	0	0	
17	2886500G	4049577126191	Gelenkset zu Trapezprofil LED65		0		0		0	0	0	
17	28865207.8	4049577123886	LED 65/300 WW Trapez ALU Profil	SMD3528 LED 12V	3000	warmweiss	348	87	4	4,4	80	A+
17	2886527.8	4049577123039	LED 65/300 WW Trapez ALU Profil	SMD5050 LED 12V	3000	warmweiss	190	42,22	4,5	4,95	80	A
17	28865507.8	4049577123114	LED 65/600 WW Trapez ALU Profil	SMD3528 LED 12V	3000	warmweiss	760	80,85	9,4	10,34	80	A+
17	2886557.8	4049577123046	LED 65/600 WW Trapez ALU Profil	SMD5050 LED 12V	3000	warmweiss	372	51,67	7,2	7,92	80	A
17	28865707.8	4049577123138	LED 65/900 WW Trapez ALU Profil	SMD3528 LED 12V	3000	warmweiss	1240	88,57	14	15,4	80	A+
17	2886577.8	4049577123053	LED 65/900 WW Trapez ALU Profil	SMD5050 LED 12V	3000	warmweiss	570	54,29	10,5	11,55	80	A
17	28865807.8	4049577123176	LED 65/1000 Trapez ALU Profil	SMD3528 LED 12V	3000	warmweiss	1300	91,55	14,2	15,62	80	A+
17	2886587.8	4049577123060	LED 65/1000 WW Trapez ALU Profil	SMD5050 LED 12V	3000	warmweiss	630	57,27	11	12,1	80	A
17	28865907.8	4049577123169	LED 65/1200 WW Trapez ALU Profil	SMD3528 LED 12V	3000	warmweiss	1500	88,24	17	18,7	80	A+
17	2886597.8	4049577123077	LED 65/1200 WW Trapez ALU Profil	SMD5050 LED 12V	3000	warmweiss	835	57,99	14,4	15,84	80	A
14	28866127	4049577158369	LED 66/300 2 ALU U-Profil CW	SMD2835 LED 12V	6000	Tageslicht	230	92	2,5	2,75	85	A+
14	28866127.8	4049577157577	LED 66/300 2 ALU U-Profil WW	SMD2835 LED 12V	3000	warmweiss	230	92	2,5	2,75	85	A+
14	28866127.9	4049577158291	LED 66/300 2 ALU U-Profil NW	SMD2835 LED 12V	4000	weiss	230	92	2,5	2,75	85	A+
14	28866157	4049577158352	LED 66/600 2 ALU U-Profil CW	SMD2835 LED 12V	6000	Tageslicht	450	81,82	5,5	6,05	85	A+
14	28866157.8	4049577157584	LED 66/600 2 ALU U-Profil WW	SMD2835 LED 12V	3000	warmweiss	450	81,82	5,5	6,05	85	A+
14	28866157.9	4049577158307	LED 66/600 2 ALU U-Profil NW	SMD2835 LED 12V	4000	weiss	450	81,82	5,5	6,05	85	A+
14	28866177	4049577158345	LED 66/900 2 ALU U-Profil CW	SMD2835 LED 12V	6000	Tageslicht	740	90,24	8,2	9,02	85	A+

Tabelle1

14	28866177.8	4049577157591	LED 66/900 2 ALU U-Profil WW	SMD2835 LED 12V	3000	warmweiss	740	90,24	8,2	9,02	85	A+
14	28866177.9	4049577158314	LED 66/900 2 ALU U-Profil NW	SMD2835 LED 12V	4000	weiss	740	90,24	8,2	9,02	85	A+
14	28866187	4049577158338	LED 66/1200 2 ALU U-Profil CW	SMD2835 LED 12V	6000	Tageslicht	980	89,09	11	12,1	85	A+
14	28866187.8	4049577157607	LED 66/1200 2 ALU U-Profil WW	SMD2835 LED 12V	3000	warmweiss	980	89,09	11	12,1	85	A+
14	28866187.9	4049577158321	LED 66/1200 2 ALU U-Profil NW	SMD2835 LED 12V	4000	weiss	980	89,09	11	12,1	85	A+
15	28869127	4049577158383	LED 69/300 2 ALU Eckprofil CW	SMD2835 LED 12V	6000	Tageslicht	230	92	2,5	2,75	85	A+
15	28869127.8	4049577157614	LED 69/300 2 ALU Eckprofil WW	SMD2835 LED 12V	3000	warmweiss	230	92	2,5	2,75	85	A+
15	28869127.9	4049577158376	LED 69/300 2 ALU Eckprofil NW	SMD2835 LED 12V	4000	weiss	230	92	2,5	2,75	85	A+
15	28869157	4049577158406	LED 69/600 2 ALU Eckprofil CW	SMD2835 LED 12V	6000	Tageslicht	450	81,82	5,5	6,05	85	A+
15	28869157.8	4049577157621	LED 69/600 2 ALU Eckprofil WW	SMD2835 LED 12V	3000	warmweiss	450	81,82	5,5	6,05	85	A+
15	28869157.9	4049577158390	LED 69/600 2 ALU Eckprofil NW	SMD2835 LED 12V	4000	weiss	450	81,82	5,5	6,05	85	A+
15	28869177	4049577158420	LED 69/900 2 ALU Eckprofil CW	SMD2835 LED 12V	6000	Tageslicht	740	90,24	8,2	9,02	85	A+
15	28869177.8	4049577157638	LED 69/900 2 ALU Eckprofil WW	SMD2835 LED 12V	3000	warmweiss	740	90,24	8,2	9,02	85	A+
15	28869177.9	4049577158413	LED 69/900 2 ALU Eckprofil NW	SMD2835 LED 12V	4000	weiss	740	90,24	8,2	9,02	85	A+
15	28869197	4049577158444	LED 69/1200 2 ALU Eckprofil CW	SMD2835 LED 12V	6000	Tageslicht	980	89,09	11	12,1	85	A+
15	28869197.8	4049577157645	LED 69/1200 2 ALU Eckprofil WW	SMD2835 LED 12V	3000	warmweiss	980	89,09	11	12,1	85	A+
15	28869197.9	4049577158437	LED 69/1200 2 ALU Eckprofil NW	SMD2835 LED 12V	4000	weiss	980	89,09	11	12,1	85	A+
73	2887000	4049577142054	AP 70 LED Einfräsprofil ALU		0		0		0	0	0	
73	2887027	4049577069375	LED 70/30 AP Einfräsprofil ALU	SMD3528 LED 12V	4000	weiss	250	62,5	4	4,4	85	A+
73	2887057	4049577142917	LED 70/60 Einfräsprofil ALU	SMD3528 LED 12V	4000	weiss	600	76,92	7,8	8,58	85	A+
73	2887077	4049577142924	LED 70/90 Einfräsprofil ALU	SMD3528 LED 12V	4000	weiss	1170	86,67	13,5	14,85	85	A+
73	2887097	4049577142931	LED 70/120 Einfräsprofil ALU	SMD3528 LED 12V	4000	weiss	1400	88,61	15,8	17,38	85	A+
60	2887107	4049577098382	AP-71 Glasplatten-ALU Profil		0		0		0	0	0	
60	2887117	4049577098306	LED 71/412 Glasplatten-ALU Profil	SMD3528 LED 12V	5000	kaltweiss	132	52,8	2,5	2,75	80	A
60	2887117RGB	4049577126504	LED 71/411 RGB Glasplatten-ALU Profil	SMD5050 RGB 12V	123	Rot/Gelb/Blau	153	43,71	3,5	3,85	0	A
60	2887117.8	4049577098375	LED 71/412 Glasplatten-ALU Profil	SMD3528 LED 12V	3000	warmweiss	132	52,8	2,5	2,75	80	A
60	2887127	4049577001351	LED 71/462 Glasplatten-ALU Profil	SMD3528 LED 12V	5000	kaltweiss	149	53,21	2,8	3,08	80	A
60	2887127RGB	4049577126498	LED 71/461 RGB Glasplatten-ALU Profil	SMD5050 RGB 12V	123	Rot/Gelb/Blau	153	38,25	4	4,4	0	A
60	2887127.8	4049577098368	LED 71/462 Glasplatten-ALU	SMD3528 LED 12V	3000	warmweiss	149	53,21	2,8	3,08	80	A
60	2887137	4049577098313	LED 71/562 Glasplatten-ALU Profil	SMD3528 LED 12V	5000	kaltweiss	182	53,53	3,4	3,74	80	A
60	2887137RGB	4049577121929	LED 71/561 RGB Glasplatten-ALU Profil	SMD5050 RGB 12V	123	Rot/Gelb/Blau	187	42,5	4,4	4,84	0	A
60	2887137.8	4049577098351	LED 71/562 Glasplatten-ALU Profil	SMD3528 LED 12V	3000	warmweiss	182	53,53	3,4	3,74	80	A
60	2887147	4049577001344	LED 71/862 Glasplatten-ALU Profil	SMD3528 LED 12V	5000	kaltweiss	281	53,02	5,3	5,83	80	A
60	2887147RGB	4049577126511	LED 71/861 RGB Glasplatten-ALU Profil	SMD5050 RGB 12V	123	Rot/Gelb/Blau	306	52,76	5,8	6,38	0	A
60	2887147.8	4049577098344	LED 71/862 Glasplatten-ALU Profil	SMD3528 LED 12V	3000	warmweiss	281	53,02	5,3	5,83	80	A
60	2887157	4049577098320	LED 71/1162 Glasplatten-ALU Profil	SMD3528 LED 12V	5000	kaltweiss	380	52,78	7,2	7,92	80	A
60	2887157RGB	4049577126528	LED 71/1161 RGB Glasplatten-ALU Profil	SMD5050 RGB 12V	123	Rot/Gelb/Blau	391	60,15	6,5	7,15	0	A
60	2887157.8	4049577098337	LED 71/1162 Glasplatten-ALU Profil	SMD3528 LED 12V	3000	warmweiss	380	52,78	7,2	7,92	80	A
60	2887267	4049577099488	LED 72 495 mm	SMD3528 LED 12V	5000	kaltweiss	132	44	3	3,3	80	A
60	2887267.8	4049577099556	LED 72 495 mm Glasplatte	SMD3528 LED 12V	3000	warmweiss	132	44	3	3,3	80	A
60	2887277	4049577099495	LED 72 595 mm	SMD3528 LED 12V	5000	kaltweiss	165	41,25	4	4,4	80	A
60	2887277.8	4049577099549	LED 72 595 mm Glasplatte	SMD3528 LED 12V	3000	warmweiss	165	41,25	4	4,4	80	A

Tabelle1

60	2887287	4049577099501	LED 72 895 mm	SMD3528 LED 12V	5000	kaltweiss	264	44	6	6,6	80	A
60	2887287.8	4049577099532	LED 72 895 mm Glasplatte	SMD3528 LED 12V	3000	warmweiss	264	44	6	6,6	80	A
60	2887297	4049577099518	LED 72 1195 mm	SMD3528 LED 12V	5000	kaltweiss	363	51,86	7	7,7	80	A
60	2887297.8	4049577099525	LED 72 1195 mm Glasplatte	SMD3528 LED 12V	3000	warmweiss	363	51,86	7	7,7	80	A
77	2897700	4049577098610	LED 77 RGB Infrarot Controller SET		0		0		0	0	0	
72	2897700V	4049577099570	LED 77 RGB Verbindersystem		0		0		0	0	0	
72	2897702AL	4049577108791	LED 77/78 RGB Einspeiseleitung zwischen		0		0		0	0	0	
72	2897702V	4049577099587	LED 77 RGB Verbindersystem mit		0		0		0	0	0	
72	2897710V	4049577099594	LED 77 RGB Verbindersystem mit		0		0		0	0	0	
77	2897712	4049577139221	LED 77 RGB Remote Controller weiss		0		0		0	0	0	
77	2897713	4049577139238	LED 77 RGB Remote Receiver		0		0		0	0	0	
72	2897725	4049577098603	LED 77 RGB 12 V DC 5000 mm	SMD5050 RGB 12V	123	Rot/Gelb/Blau	1700	65,38	26	28,6	0	A
72	2897725KIT	4049577106216	LED 77 RGB KIT 5 meter	SMD5050 RGB 12V	123	Rot/Gelb/Blau	1700	65,38	26	28,6	0	A
75	29000DC	4049577008480	LED Netzteil 12 V / 30 Watt DC		0		0		0	0	0	
75	29000DCHS	4049577019844	LED HS Netzteil 12 V / 30 Watt DC		0		0		0	0	0	
76	290016	4049577113122	LED SET Schalter slim edelstahl		0		0		0	0	0	
75	29002DC	4049577108951	LED Netzteil 12 V / 60 Watt DC		0		0		0	0	0	
75	29002DCHS	4049577115294	LED HS Netzteil 12 V / 60 Watt DC		0		0		0	0	0	
75	29009DC	4049577008473	LED Netzteil 12 V / 20 Watt DC		0		0		0	0	0	
75	29009DCHS	4049577008466	LED HS Netzteil 240/12 V DC 20 W		0		0		0	0	0	
75	29009DC/AMP	4049577092809	LED Netzteil 240/12 V DC 20 W		0		0		0	0	0	
76	290116	4049577051189	LED SET Schalter edelstahl 52x52x13 mm		0		0		0	0	0	
78	29013006	4049577151124	Kabelabdeckung Edelstahl 100x16x6 mm		0		0		0	0	0	
78	2901306	4049577146878	Kabelabdeckung Edelstahl 100x17x8 mm		0		0		0	0	0	
79	290136	4049577077059	Kabelabdeckung Edelstahl 100x15x7 mm		0		0		0	0	0	
79	290137	4049577144607	Kabelabdeckung Aluminium 100x14x7 mm		0		0		0	0	0	
78	29014006	4049577151131	Kabelabdeckung Edelstahl 200x16x6 mm		0		0		0	0	0	
78	2901406	4049577146885	Kabelabdeckung Edelstahl 200x17x8 mm		0		0		0	0	0	
79	290146	4049577077066	Kabelabdeckung Edelstahl 200x15x7 mm		0		0		0	0	0	
79	290147	4049577144614	Kabelabdeckung Aluminium 200x14x7 mm		0		0		0	0	0	
78	29015006	4049577151148	Kabelabdeckung Edelstahl 250x16x6 mm		0		0		0	0	0	
78	2901506	4049577146892	Kabelabdeckung Edelstahl 250x17x8 mm		0		0		0	0	0	
79	290156	4049577077073	Kabelabdeckung Edelstahl 250x15x7 mm		0		0		0	0	0	
79	290157	4049577144621	Kabelabdeckung Aluminium 250x14x7 mm		0		0		0	0	0	
78	29016006	4049577151155	Kabelabdeckung Edelstahl 300x16x6 mm		0		0		0	0	0	
78	2901606	4049577146908	Kabelabdeckung Edelstahl 300x17x8 mm		0		0		0	0	0	
79	290166	4049577077080	Kabelabdeckung Edelstahl 300x15x7 mm		0		0		0	0	0	
79	290167	4049577144638	Kabelabdeckung Aluminium 300x14x7 mm		0		0		0	0	0	
78	29017006	4049577151162	Kabelabdeckung Edelstahl 600x16x6 mm		0		0		0	0	0	
78	2901706	4049577148483	Kabelabdeckung Edelstahl 600x17x8 mm		0		0		0	0	0	
78	29018006	4049577151179	Kabelabdeckung Edelstahl 900x16x6 mm		0		0		0	0	0	
78	2901806	4049577148490	Kabelabdeckung Edelstahl 900x17x8 mm		0		0		0	0	0	
75	2902098	4049577046574	LED-DC Verlaengerung 2x0,34 mm ² Laenge		0		0		0	0	0	
38	2902406	4049577143808	LED 240 Nickel 4000 Kelvin	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+

Tabelle1

38	2902406S/2	4049577143877	LED 240 S/2 SET Nickel	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902406S/3	4049577143884	LED 240 S/3 SET Nickel	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902406S/4	4049577143891	LED 240 S/4 SET Nickel	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902406S/5	4049577143907	LED 240 S/5 SET Nickel	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902406W	4049577144720	LED 240 W Edelstahlfarben	SMD3528 LED 12V	3000	warmweiss	230	65,71	3,5	3,85	80	A+
38	2902406W2	4049577144737	LED 240 W Edelstahl W SET 2 3500-5000 K	SMD3528 LED 12V	3000	warmweiss	230	65,71	3,5	3,85	80	A+
38	2902406W3	4049577144782	LED 240 W Edelstahl W SET 3 3500-5000 K	SMD3528 LED 12V	3000	warmweiss	230	65,71	3,5	3,85	80	A+
38	2902406W4	4049577144799	LED 240 W Edelstahl W SET 4 3500-5000 K	SMD3528 LED 12V	3000	warmweiss	230	65,71	3,5	3,85	80	A+
38	2902406W5	4049577144805	LED 240 W Edelstahl W SET 5 3500-5000 K	SMD3528 LED 12V	3000	warmweiss	230	65,71	3,5	3,85	80	A+
38	2902406ES	4049577143839	LED 240 ES Nickel mit Einzelschalter	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902406HS	4049577143853	LED 240 HS Nickel mit Hauptschalter	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902406HS/2	4049577143914	LED 240 HS/2 SET Nickel	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902406HS/3	4049577143921	LED 240 HS/3 SET Nickel	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902406HS/4	4049577143938	LED 240 HS/4 SET Nickel	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902406HS/5	4049577143945	LED 240 HS/5 SET Nickel	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902407	4049577143068	LED 240 ALU 4000 Kelvin	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902407S/2	4049577143242	LED 240 S/2 SET	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902407S/3	4049577143259	LED 240 S/3 SET	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902407S/4	4049577143266	LED 240 S/4 SET	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902407S/5	4049577143273	LED 240 S/5 SET	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902407W	4049577144812	LED 240 Aluminium 3500-5000 K	SMD3528 LED 12V	3000	warmweiss	230	65,71	3,5	3,85	80	A+
38	2902407W2	4049577144829	LED 240 W Aluminium W SET 2 3500-5000 K	SMD3528 LED 12V	3000	warmweiss	230	65,71	3,5	3,85	80	A+
38	2902407W3	4049577144836	LED 240 W Aluminium W SET 3 3500-5000 K	SMD3528 LED 12V	3000	warmweiss	230	65,71	3,5	3,85	80	A+
38	2902407W4	4049577144843	LED 240 W Aluminium W SET 4 3500-5000 K	SMD3528 LED 12V	3000	warmweiss	230	65,71	3,5	3,85	80	A+
38	2902407W5	4049577144850	LED 240 W Aluminium W SET 5 3500-5000 K	SMD3528 LED 12V	3000	warmweiss	230	65,71	3,5	3,85	80	A+
38	2902407ES	4049577143051	LED 240 ES ALU mit Einzelschalter 4000	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902407HS	4049577143075	LED 240 HS ALU mit Hauptschalter 4000	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902407HS/2	4049577143204	LED 240 HS/2 SET	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902407HS/3	4049577143211	LED 240 HS/3 SET	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902407HS/4	4049577143228	LED 240 HS/4 SET	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
38	2902407HS/5	4049577143235	LED 240 HS/5 SET	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902416	4049577143952	LED 241 Edelstahl 4000 Kelvin	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902416S/2	4049577143990	LED 241 SET 2 Nickel	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902416S/3	4049577144003	LED 241 SET 3 Nickel	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902416S/4	4049577144010	LED 241 SET 4 Nickel	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902416S/5	4049577144027	LED 241 SET 5 Nickel	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902416W	4049577144867	LED 241 W Edelstahl 3500-5000	SMD3528 LED 12V	3000	warmweiss	230	65,71	3,5	3,85	80	A+
37	2902416W2	4049577144874	LED 241 W Edelstahl W SET 2 3500-5000 K	SMD3528 LED 12V	3000	warmweiss	230	65,71	3,5	3,85	80	A+
37	2902416W3	4049577144881	LED 241 W Edelstahl W SET 3 3500-5000 K	SMD3528 LED 12V	3000	warmweiss	230	65,71	3,5	3,85	80	A+
37	2902416W4	4049577144898	LED 241 W Edelstahl W SET 4 3500-5000 K	SMD3528 LED 12V	3000	warmweiss	230	65,71	3,5	3,85	80	A+
37	2902416W5	4049577144904	LED 241 W Edelstahl W SET 5 3500-5000 K	SMD3528 LED 12V	3000	warmweiss	230	65,71	3,5	3,85	80	A+

Tabelle1

37	2902416ES	4049577143969	LED 241 ES Edelstahlfarben	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902416HS	4049577143983	LED 241 HS Edelstahlfarben	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902416HS/2	4049577144034	LED 241 HS/2 SET Edelstahlfarben	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902416HS/3	4049577144041	LED 241 HS/3 SET Edelstahlfarben	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902416HS/4	4049577144058	LED 241 HS/4 SET Edelstahlfarben	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902416HS/5	4049577144065	LED 241 HS/5 SET Edelstahlfarben	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902417	4049577143082	LED 241 ALU 4000 Kelvin	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902417S/2	4049577143280	LED 241 SET 2 Alu	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902417S/3	4049577143297	LED 241 SET 3 Alu	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902417S/4	4049577143303	LED 241 SET 4 Alu	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902417S/5	4049577143310	LED 241 SET 5 ALU	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902417W	4049577144911	LED 241 W ALU 3500-5000 K	SMD3528 LED 12V	3000	warmweiss	230	69,7	3,3	3,63	80	A+
37	2902417W2	4049577144942	LED 241 W ALU W SET 2 3500-5000 K	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902417W3	4049577144959	LED 241 W ALU W SET 3 3500-5000 K	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902417W4	4049577144966	LED 241 W ALU W SET 4 3500-5000 K	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902417W5	4049577144973	LED 241 W ALU W SET 5 3500-5000 K	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902417ES	4049577143099	LED 241 ES ALU mit Einzelschalter	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902417HS	4049577143105	LED 241 HS ALU mit Hauptschalter 4000	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902417HS/2	4049577143167	LED 241 HS/2 SET ALU	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902417HS/3	4049577143174	LED 241 HS/3 SET Alu	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902417HS/4	4049577143181	LED 241 HS/4 SET Alu	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
37	2902417HS/5	4049577143198	LED 241 HS/5 SET Alu	SMD3528 LED 12V	4000	weiss	230	65,71	3,5	3,85	85	A+
29	29029506W/2	4049577153432	LED 29 Tadeo 44 W Set 2 3500-5000 K	SMD3014 LED 12V	4250		290	90,62	3,2	3,52	90	A+
29	29029506W/3	4049577153425	LED 29 Tadeo 44 W Set 3 3500-5000 K	SMD3014 LED 12V	4250		290	90,62	3,2	3,52	90	A+
29	29029506W/4	4049577153418	LED 29 Tadeo 44 W Set 4 3500-5000 K	SMD3014 LED 12V	4250		290	90,62	3,2	3,52	90	A+
29	29029506W/5	4049577153395	LED 29 Tadeo 44 W Set 5 3500-5000 K	SMD3014 LED 12V	4250		290	90,62	3,2	3,52	90	A+
57	2903026	4049577144133	LED 300/30 Edelstahl 12 Volt DC mit	SMD3528 LED 12V	4000	weiss	250	62,5	4	4,4	85	A+
57	2903027	4049577139818	LED 300/30 ALU 12 Volt DC	SMD3528 LED 12V	4000	weiss	250	62,5	4	4,4	85	A+
57	2903056	4049577144140	LED 300/60 Edelstahl 12 Volt DC mit	SMD3528 LED 12V	4000	weiss	600	76,92	7,8	8,58	85	A+
57	2903057	4049577139863	LED 300/60 ALU 12 Volt DC	SMD3528 LED 12V	4000	weiss	600	76,92	7,8	8,58	85	A+
57	2903076	4049577144157	LED 300/90 Edelstahl 12 Volt DC	SMD3528 LED 12V	4000	weiss	1170	86,67	13,5	14,85	85	A+
57	2903077	4049577139870	LED 300/90 ALU 12 Volt DC	SMD3528 LED 12V	4000	weiss	1170	86,67	13,5	14,85	85	A+
57	2903096	4049577144164	LED 300/120 Edelstahl 12 Volt DC mit	SMD3528 LED 12V	4000	weiss	1400	88,61	15,8	17,38	85	A+
57	2903097	4049577142948	LED 300/120 ALU 12 Volt DC	SMD3528 LED 12V	4000	weiss	1400	88,61	15,8	17,38	85	A+
57	2903326	4049577144515	LED 333/300 Edelstahl Farbwechsel	SMD3528 LED 12V	5000	kaltweiss	237	62,5	3,79	4,4	80	A+
57	2903327	4049577144492	LED 333/300 ALU Farbwechsel	SMD3528 LED 12V	5000	kaltweiss	237	62,5	3,79	4,4	80	A+
57	2903356	4049577144546	LED 333/600 Edelstahl Farbwechsel	SMD3528 LED 12V	5000	kaltweiss	538	76,92	7	8,58	80	A+
57	2903357	4049577144522	LED 333/600 ALU Farbwechsel	SMD3528 LED 12V	5000	kaltweiss	538	76,92	7	8,58	80	A+
57	2903376	4049577144669	LED 333/900 Edelst.Farbwechsel	SMD3528 LED 12V	5000	kaltweiss	996	86,67	11,49	14,85	80	A+
57	2903377	4049577144553	LED 333/900 ALU Farbwechsel	SMD3528 LED 12V	5000	kaltweiss	996	86,67	11,49	14,85	80	A+
57	2903396	4049577144713	LED 333/1200 Edelstahl Farbwechsel 3500	SMD3528 LED 12V	5000	kaltweiss	1134	88,61	12,79	17,38	80	A+

Tabelle1

57	2903397	4049577144706	LED 333/1200 ALU Farbwechsel	SMD3528 LED 12V	5000	kaltweiss	1134	88,61	12,79	17,38	80	A+
19	29041126	4049577157454	LED 400/30 Nickel 12 Volt DC	SMD2835 LED 12V	4000	weiss	370	75,2	4,92	5,41	85	A+
19	29041127	4049577157461	LED 400/30 ALU 12 Volt DC	SMD2835 LED 12V	4000	weiss	370	75,2	4,92	5,41	85	A+
19	29041156	4049577157478	LED 400/60 Nickel 12 Volt DC	SMD2835 LED 12V	4000	weiss	850	83,25	10,21	11,23	85	A+
19	29041157	4049577157485	LED 400/60 ALU 12 Volt DC	SMD2835 LED 12V	4000	weiss	850	83,25	10,21	11,23	85	A+
19	29041176	4049577157492	LED 400/90 Nickel 12 Volt DC	SMD2835 LED 12V	4000	weiss	1500	100,67	14,9	16,39	85	A+
19	29041177	4049577157508	LED 400/90 ALU 12 Volt DC	SMD2835 LED 12V	4000	weiss	1500	100,67	14,9	16,39	85	A+
19	2904126W	4049577144980	LED 400/30 W Edelstahlfarben	SMD2835 LED 12V	6000	Tageslicht	352	75,2	4,69	5,41	85	A+
19	2904127W	4049577145017	LED 400/30 W ALU 3000-5000 K	SMD2835 LED 12V	6000	Tageslicht	352	75,2	4,69	5,41	85	A+
19	2904156W	4049577144997	LED 400/60 W Edelstahlfarben	SMD2835 LED 12V	6000	Tageslicht	766	83,25	9,2	11,23	85	A+
19	2904157W	4049577145024	LED 400/60 W ALU 3000-5000 K	SMD2835 LED 12V	6000	Tageslicht	766	83,25	9,2	11,23	85	A+
19	2904176W	4049577145000	LED 400/90 W Edelstahlfarben	SMD2835 LED 12V	6000	Tageslicht	1282	100,67	12,74	16,39	85	A+
19	2904177W	4049577145031	LED 400/90 W ALU 3000-5000 K	SMD2835 LED 12V	6000	Tageslicht	1282	100,67	12,74	16,39	85	A+
18	29042126	4049577157515	LED 401/30 Edelstahlfarben	SMD2835 LED 12V	4000	weiss	370	75,2	4,92	5,41	85	A+
18	29042127	4049577157522	LED 401/30 ALU 12 Volt DC	SMD2835 LED 12V	4000	weiss	370	75,2	4,92	5,41	85	A+
18	29042156	4049577157539	LED 401/60 Nickel 12 Volt DC	SMD2835 LED 12V	4000	weiss	850	83,25	10,21	11,23	85	A+
18	29042157	4049577157546	LED 401/60 ALU 12 Volt DC	SMD2835 LED 12V	4000	weiss	850	83,25	10,21	11,23	85	A+
18	29042176	4049577157553	LED 401/90 Nickel 12 Volt DC	SMD2835 LED 12V	4000	weiss	1500	100,67	14,9	16,39	85	A+
18	29042177	4049577157560	LED 401/90 ALU 12 Volt DC	SMD2835 LED 12V	4000	weiss	1500	100,67	14,9	16,39	85	A+
18	2904226W	4049577145048	LED 401/30 W Edelstahlfarben	SMD2835 LED 12V	6000	Tageslicht	352	75,2	4,69	5,41	85	A+
18	2904227W	4049577145055	LED 401/30 W ALU 3500-5000 K	SMD2835 LED 12V	6000	Tageslicht	352	75,2	4,69	5,41	85	A+
18	2904256W	4049577145062	LED 401/60 W Edelstahlfarben	SMD2835 LED 12V	6000	Tageslicht	766	83,25	9,2	11,23	85	A+
18	2904257W	4049577145086	LED 401/60 W ALU 3500-5000 K	SMD2835 LED 12V	6000	Tageslicht	766	83,25	9,2	11,23	85	A+
18	2904276W	4049577145079	LED 401/90 W Edelstahlfarben	SMD2835 LED 12V	6000	Tageslicht	1282	100,67	12,74	16,39	85	A+
18	2904277W	4049577145093	LED 401/90 W ALU 3500-5000 K	SMD2835 LED 12V	6000	Tageslicht	1282	100,67	12,74	16,39	85	A+
61	2912106	4049577127518	P-LED 12 edelstahl 2,8 W 12 V DC	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
61	2912106S/2	4049577127556	P-LED 12 SET 2 edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
61	2912106S/3	4049577127563	P-LED 12 SET 3 edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
61	2912106S/4	4049577127570	P-LED 12 SET 4 edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
61	2912106S/5	4049577127587	P-LED 12 SET 5 edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
61	2912106.9	4049577135209	P-LED 12 edelstahl 2,8 W 12 V DC	SMD3528 LED 12V	4000	weiss	280	100	2,8	3,08	90	A++
61	2912106.9S2	4049577135278	P-LED 12 SET 2 edelstahl 4000 K	SMD3528 LED 12V	4000	weiss	280	100	2,8	3,08	90	A++
61	2912106.9S3	4049577135285	P-LED 12 SET 3 edelstahl 4000 K	SMD3528 LED 12V	4000	weiss	280	100	2,8	3,08	90	A++
61	2912106.9S4	4049577135292	P-LED 12 SET 4 edelstahl 4000 K	SMD3528 LED 12V	4000	weiss	280	100	2,8	3,08	90	A++
61	2912106.9S5	4049577135308	P-LED 12 SET 5 edelstahl 4000 K	SMD3528 LED 12V	4000	weiss	280	100	2,8	3,08	90	A++
61	2912126	4049577127549	P-LED 12 edelstahl 1,5 W 12 V DC	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
61	2912126S/2	4049577127631	P-LED 12 SET 2 edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
61	2912126S/3	4049577127648	P-LED 12 SET 3 edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
61	2912126S/4	4049577127655	P-LED 12 SET 4 edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
61	2912126S/5	4049577127662	P-LED 12 SET 5 edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
47	291258916	4049577129567	P-LED 589 edelstahl 2,8W 12 VDC	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
47	291258916S2	4049577129673	P-LED 589 SET 2 edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++

Tabelle1

47	291258916S3	4049577129666	P-LED 589 SET 3 edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
47	291258916S4	4049577129659	P-LED 589 SET 4 edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
47	291258916S5	4049577129642	P-LED 589 SET 5 edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
47	291258916HS	4049577129581	P-LED 589 HS edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
47	291258916HS2	4049577129604	P-LED 589 HS/2 SET edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
47	291258916HS3	4049577129611	P-LED 589 HS/3 SET edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
47	291258916HS4	4049577129628	P-LED 589 HS/4 SET edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
47	291258916HS5	4049577129635	P-LED 589 HS/5 SET edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
47	291258926	4049577133915	P-LED 589 edelstahl 4000 K	SMD3528 LED 12V	4000	weiss	280	100	2,8	3,08	90	A++
47	291258926S2	4049577137869	P-LED 589 SET 2 edelstahl 4000 K	SMD3528 LED 12V	4000	weiss	280	100	2,8	3,08	90	A++
47	291258926S3	4049577137876	P-LED 589 SET 3 edelstahl 4000 K	SMD3528 LED 12V	4000	weiss	280	100	2,8	3,08	90	A++
47	291258926S4	4049577137883	P-LED 589 SET 4 edelstahl 4000 K	SMD3528 LED 12V	4000	weiss	280	100	2,8	3,08	90	A++
47	291258926S5	4049577137890	P-LED 589 SET 5 edelstahl 4000 K	SMD3528 LED 12V	4000	weiss	280	100	2,8	3,08	90	A++
47	291258926HS	4049577133878	P-LED 589 HS edelstahl 4000 K	SMD3528 LED 12V	4000	weiss	280	100	2,8	3,08	90	A++
47	291258926HS2	4049577133908	P-LED 589 HS/2 SET edelstahl	SMD3528 LED 12V	4000	weiss	280	100	2,8	3,08	90	A++
47	291258926HS3	4049577133922	P-LED 589 HS/3 SET edelstahl	SMD3528 LED 12V	4000	weiss	280	100	2,8	3,08	90	A++
47	291258926HS4	4049577133939	P-LED 589 HS/4 SET edelstahl	SMD3528 LED 12V	4000	weiss	280	100	2,8	3,08	90	A++
47	291258926HS5	4049577133946	P-LED 589 HS/5 SET edelstahl	SMD3528 LED 12V	4000	weiss	280	100	2,8	3,08	90	A++
47	291258936	4049577142160	P-LED 589 edelstahl 1,5W 12VDC	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
47	291258936HS	4049577142184	P-LED 589 HS edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
47	291258936HS2	4049577142177	P-LED 589 HS/2 SET edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
47	291258936HS3	4049577142191	P-LED 589 HS/3 SET edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
47	291258936HS4	4049577142207	P-LED 589 HS/4 SET edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
47	291258936HS5	4049577142214	P-LED 589 HS/5 SET edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
62	2914006	4049577149206	P-LED 14 nickelfarben 4 W 12 V DC 3000K	SMD2835 LED 12V	3000	warmweiss	390	98,48	3,96	4,36	85	A+
62	2914006S2	4049577149213	P-LED 14 SET 2 nickelfarben	SMD2835 LED 12V	3000	warmweiss	390	98,48	3,96	4,36	85	A+
62	2914006S3	4049577149220	P-LED 14 SET 3 nickelfarben	SMD2835 LED 12V	3000	warmweiss	390	98,48	3,96	4,36	85	A+
62	2914006S4	4049577149237	P-LED 14 SET 4 nickelfarben	SMD2835 LED 12V	3000	warmweiss	390	98,48	3,96	4,36	85	A+
62	2914006S5	4049577149244	P-LED 14 SET 5 nickelfarben	SMD2835 LED 12V	3000	warmweiss	390	98,48	3,96	4,36	85	A+
62	2914006.9	4049577152862	P-LED 14 nickelfarben 4 W 12 V DC 4000K	SMD2835 LED 12V	4000	weiss	390	98,48	3,96	4,36	85	A+
62	2914006.9S2	4049577152879	P-LED 14 SET 2 nickelfarben	SMD2835 LED 12V	4000	weiss	390	98,48	3,96	4,36	85	A+
62	2914006.9S3	4049577152886	P-LED 14 SET 3 nickelfarben	SMD2835 LED 12V	4000	weiss	390	98,48	3,96	4,36	85	A+
62	2914006.9S4	4049577152893	P-LED 14 SET 4 nickelfarben	SMD2835 LED 12V	4000	weiss	390	98,48	3,96	4,36	85	A+
62	2914006.9S5	4049577152909	P-LED 14 SET 5 nickelfarben	SMD2835 LED 12V	4000	weiss	390	98,48	3,96	4,36	85	A+
43	2915006	4049577149275	LED 15 Paneelleuchte	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
43	2915006HS1	4049577149923	P-LED 15 HS SET 1 edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
43	2915006HS2	4049577149947	P-LED 15 HS SET 2 edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
43	2915006HS3	4049577149954	P-LED 15 HS SET 3 edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
43	2915006HS4	4049577149961	P-LED 15 HS SET 4 edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
43	2915006HS5	4049577149978	P-LED 15 HS SET 5 edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
43	2915006S1	4049577149909	P-LED 15 SET 1 edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+

Tabelle1

43	2915006S2	4049577149282	P-LED 15 SET 2 edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
43	2915006S3	4049577149299	P-LED 15 SET 3 edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
43	2915006S4	4049577149305	P-LED 15 SET 4 edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
43	2915006S5	4049577149312	P-LED 15 SET 5 edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
44	2915006W/1	4049577152213	LED 15 W IWF-Farbwechsel SET 1	SMD LED4014 12V	4250		400	60,61	6,6	7,26	90	A
44	2915006W/2	4049577152220	LED 15 W IWF-Farbwechsel SET 2	SMD LED4014 12V	4250		400	60,61	6,6	7,26	90	A
44	2915006W/3	4049577152237	LED 15 W IWF-Farbwechsel SET 3	SMD LED4014 12V	4250		400	60,61	6,6	7,26	90	A
44	2915006W/4	4049577152244	LED 15 W IWF-Farbwechsel SET 4	SMD LED4014 12V	4250		400	60,61	6,6	7,26	90	A
44	2915006W/5	4049577152251	LED 15 W IWF-Farbwechsel SET 5	SMD LED4014 12V	4250		400	60,61	6,6	7,26	90	A
42	2916006	4049577156686	P-LED 16 Paneelleuchte 5,2 W 12 V DC	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
42	2916006HS1	4049577156754	P-LED 16 HS SET 1 edelstahl 3000 K	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
42	2916006HS2	4049577156761	P-LED 16 HS SET 2 edelstahl 3000 K	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
42	2916006HS3	4049577156778	P-LED 16 HS SET 3 edelstahl 3000 K	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
42	2916006HS4	4049577156785	P-LED 16 HS SET 4 edelstahl 3000 K	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
42	2916006HS5	4049577156792	P-LED 16 HS SET 5 edelstahl 3000 K	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
42	2916006S1	4049577156808	P-LED 16 SET 1 edelstahl 3000 K	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
42	2916006S2	4049577156815	P-LED 16 SET 2 edelstahl 3000 K	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
42	2916006S3	4049577156822	P-LED 16 SET 3 edelstahl 3000 K	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
42	2916006S4	4049577156839	P-LED 16 SET 4 edelstahl 3000 K	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
42	2916006S5	4049577156846	P-LED 16 SET 5 edelstahl 3000 K	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
42	2916006.9	4049577156693	P-LED 16 Paneelleuchte 5,2 W 12 V DC	SMD LED4014 12V	4000	weiss	400	76,92	5,2	5,72	85	A+
42	2916006.9S1	4049577156853	P-LED 16 SET 1 edelstahl 4000 K	SMD LED4014 12V	4000	weiss	400	76,92	5,2	5,72	85	A+
42	2916006.9S2	4049577156860	P-LED 16 SET 2 edelstahl 4000 K	SMD LED4014 12V	4000	weiss	400	76,92	5,2	5,72	85	A+
42	2916006.9S3	4049577156877	P-LED 16 SET 3 edelstahl 4000 K	SMD LED4014 12V	4000	weiss	400	76,92	5,2	5,72	85	A+
42	2916006.9S4	4049577156884	P-LED 16 SET 4 edelstahl 4000 K	SMD LED4014 12V	4000	weiss	400	76,92	5,2	5,72	85	A+
42	2916006.9S5	4049577156907	P-LED 16 SET 5 edelstahl 4000 K	SMD LED4014 12V	4000	weiss	400	76,92	5,2	5,72	85	A+
42	2916006.9HS1	4049577156747	P-LED 16 HS SET 1 edelstahl	SMD LED4014 12V	4000	weiss	400	76,92	5,2	5,72	85	A+
42	2916006.9HS2	4049577156709	P-LED 16 HS SET 2 edelstahl	SMD LED4014 12V	4000	weiss	400	76,92	5,2	5,72	85	A+
42	2916006.9HS3	4049577156716	P-LED 16 HS SET 3 edelstahl	SMD LED4014 12V	4000	weiss	400	76,92	5,2	5,72	85	A+
42	2916006.9HS4	4049577156723	P-LED 16 HS SET 4 edelstahl	SMD LED4014 12V	4000	weiss	400	76,92	5,2	5,72	85	A+
42	2916006.9HS5	4049577156730	P-LED 16 HS SET 5 edelstahl	SMD LED4014 12V	4000	weiss	400	76,92	5,2	5,72	85	A+
45	2917007	4049577165664	LED 17 Paneelleuchte	SMD LED2835	3000	warmweiss	510	77,27	6,6	7,26	85	A+
45	2917007HS	4049577165916	LED 17 HS Paneelleuchte	SMD LED2835	3000	warmweiss	510	77,27	6,6	7,26	85	A+
45	2917007HS/2	4049577165947	LED 17 HS-SET 2 Alufarben	SMD LED2835	3000	warmweiss	510	77,27	6,6	7,26	85	A+
45	2917007HS/3	4049577165930	LED 17 HS-SET 3 Alufarben	SMD LED2835	3000	warmweiss	510	77,27	6,6	7,26	85	A+
45	2917007HS/4	4049577165954	LED 17 HS-SET 4 Alufarben	SMD LED2835	3000	warmweiss	510	77,27	6,6	7,26	85	A+
45	2917007HS/5	4049577165961	LED 17 HS-SET 5 Alufarben	SMD LED2835	3000	warmweiss	510	77,27	6,6	7,26	85	A+
9	2917306	4049577138552	R 3100/2 Zweifach-Steckdose Edelstahl		0		0		0	0	0	
9	2917316	4049577138576	S 3100 - HE Hauptschalter		0		0		0	0	0	
9	2917326	4049577132154	P-LED R 3100/ 6 W Edelstahl	SMD LED3014 HV	4000	weiss	430	76,79	5,6	6,16	90	A+
9	2917326.8	4049577156150	P-LED R 3100/ 6 W Edelstahl	SMD LED 3014 HV	3000	warmweiss	430	76,79	5,6	6,16	90	A+

Tabelle1

9	2917336	4049577132178	P-LED R 3100/ 9 W Edelstahl	SMD LED 3014 HV	4000	weiss	850	94,44	9	9,9	90	A+
9	2917336.8	4049577161109	P-LED R 3100/ 9 W Edelstahl	SMD LED 3014 HV	3000	warmweiss	850	94,44	9	9,9	90	A+
9	2917346	4049577134127	P-LED R 3100/ 8 W Edelstahl	SMD LED 3014 HV	4000	weiss	550	77,14	7,13	7,84	90	A+
9	2917346.8	4049577159182	P-LED R 3100/ 8 W Edelstahl	SMD LED 3014 HV	3000	warmweiss	550	77,14	7,13	7,84	90	A+
9	2917356	4049577134103	P-LED R 3100/ 11 W Edelstahl	SMD LED 3014 HV	4000	weiss	1050	95,11	11,04	12,14	90	A+
9	2917356.8	4049577159175	P-LED R 3100/ 11 W Edelstahl	SMD LED 3014 HV	3000	warmweiss	1050	95,11	11,04	12,14	90	A+
9	2917366	4049577134110	P-LED R 3100/ 10 W Edelstahl	SMD LED 3014 HV	4000	weiss	950	102,15	9,3	10,23	90	A+
9	2917366.8	4049577159199	P-LED R 3100/ 10 W Edelstahl	SMD LED 3014 HV	3000	warmweiss	950	102,15	9,3	10,23	90	A+
9	2917376	4049577132192	P-LED R 3100/ 13 W Edelstahl	SMD LED 3014 HV	4000	weiss	1200	94,49	12,7	13,97	90	A+
9	2917376.8	4049577159151	P-LED R 3100/ 13 W Edelstahl	SMD LED 3014 HV	3000	warmweiss	1200	94,49	12,7	13,97	90	A+
9	2917406	4049577133960	E 3100/2 Zweifach-Steckdose Edelstahl		0		0		0	0	0	
9	2917416	4049577138712	S 3100-MHE Mitteneinspeisung 150 mm		0		0		0	0	0	
8	2917426	4049577132291	P-LED E 3100/ 6 W Edelstahl	SMD LED3014 HV	4000	weiss	430	76,79	5,6	6,16	90	A+
8	2917436	4049577132260	P-LED E 3100/10 W Edelstahl	SMD LED 3014 HV	4000	weiss	950	102,15	9,3	10,23	90	A+
8	2917446	4049577134080	P-LED E 3100/ 8 W Edelstahl	SMD LED 3014 HV	4000	weiss	550	77,14	7,13	7,84	90	A+
8	2917456	4049577134097	P-LED E 3100/ 8 W Edelstahl	SMD LED 3014 HV	4000	weiss	550	77,14	7,13	7,84	90	A+
8	2917476	4049577132215	P-LED E 3100/13 W Edelstahl	SMD LED 3014 HV	4000	weiss	1200	94,49	12,7	13,97	90	A+
58	2917716	4049577140326	P-LED R 3300/5 Watt Edelstahl 300 mm	SMD LED 3014 HV	3000	warmweiss	430	76,79	5,6	6,16	90	A+
58	2917726	4049577140319	P-LED R 3300 Edelstahl 450 mm	SMD LED 3014 HV	3000	warmweiss	430	76,79	5,6	6,16	90	A+
58	2917746	4049577140227	P-LED R 3300 Edelstahl 600 mm	SMD LED 3014 HV	3000	warmweiss	550	77,14	7,13	7,84	90	A+
58	2917756	4049577140357	P-LED R 3300 Edelstahl 900 mm	SMD LED 3014 HV	3000	warmweiss	1050	95,11	11,04	12,14	90	A+
58	2917766	4049577140364	P-LED R 3300 Edelstahl 750 mm	SMD LED 3014 HV	3000	warmweiss	950	102,15	9,3	10,23	90	A+
58	2917776	4049577140371	P-LED R 3300 HST 900 mm Edelstahl	SMD LED 3014 HV	3000	warmweiss	950	102,15	9,3	10,23	90	A+
58	2917786	4049577140562	P-LED R 3300 HST Edelstahl	SMD LED 3014 HV	3000	warmweiss	1200	94,49	12,7	13,97	90	A+
58	2917796	4049577140579	P-LED R 3300 Edelstahl 1000 mm	SMD LED 3014 HV	3000	warmweiss	1200	94,49	12,7	13,97	90	A+
118	2919847	4049577141002	P-LED E 8000 LED Glasbodenleuchte	SMD LED3014 HV	4000	weiss	400	57,14	7	7,7	90	A+
118	2919867	4049577141019	P-LED E 8000 LED Glasbodenleuchte	SMD LED 3014 HV	4000	weiss	700	77,78	9	9,9	90	A
36	2921006	4049577097088	LED 96 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2921006HS	4049577097095	LED 96 HS Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2921006HS/2	4049577097101	LED 96 HS SET/2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2921006HS/3	4049577097118	LED 96 HS SET/3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2921006HS/4	4049577097125	LED 96 HS SET/4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2921006HS/5	4049577097132	LED 96 HS SET/5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2921006S/2	4049577097156	LED 96 SET/2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2921006S/3	4049577097163	LED 96 SET/3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2921006S/4	4049577097170	LED 96 SET/4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2921006S/5	4049577097187	LED 96 SET/5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
46	292146	4049577150622	LED 114 Edelstahl Aufbau	SMD3528 LED 12V	3000	warmweiss	390	98,48	3,96	4,36	85	A+
46	292146HS	4049577150639	LED 114 HS Edelstahl	SMD3528 LED 12V	3000	warmweiss	390	98,48	3,96	4,36	85	A+
46	292146HS/1	4049577150646	LED 114 HS-SET 1 Edelstahl	SMD3528 LED 12V	3000	warmweiss	390	98,48	3,96	4,36	85	A+
46	292146HS/2	4049577150653	LED 114 HS-SET 2 Edelstahl	SMD3528 LED 12V	3000	warmweiss	390	98,48	3,96	4,36	85	A+

Tabelle1

46	292146HS/3	4049577150660	LED 114 HS-SET 3 Edelstahl	SMD3528 LED 12V	3000	warmweiss	390	98,48	3,96	4,36	85	A+
46	292146HS/4	4049577150677	LED 114 HS-SET 4 Edelstahl	SMD3528 LED 12V	3000	warmweiss	390	98,48	3,96	4,36	85	A+
46	292146HS/5	4049577150684	LED 114 HS-SET 5 Edelstahl	SMD3528 LED 12V	3000	warmweiss	390	98,48	3,96	4,36	85	A+
46	292146S/2	4049577150721	LED 114 SET 2 Edelstahl	SMD3528 LED 12V	3000	warmweiss	390	98,48	3,96	4,36	85	A+
46	292146S/3	4049577150714	LED 114 SET 3 Edelstahl	SMD3528 LED 12V	3000	warmweiss	390	98,48	3,96	4,36	85	A+
46	292146S/4	4049577150707	LED 114 SET 4 Edelstahl	SMD3528 LED 12V	3000	warmweiss	390	98,48	3,96	4,36	85	A+
46	292146S/5	4049577150691	LED 114 SET 5 Edelstahl	SMD3528 LED 12V	3000	warmweiss	390	98,48	3,96	4,36	85	A+
46	292146.9	4049577152763	LED 114 Edelstahl Aufbau	SMD2835 LED 12V	4000	weiss	390	98,48	3,96	4,36	85	A+
46	292146.9HS	4049577152756	LED 114 HS Edelstahl	SMD2835 LED 12V	4000	weiss	390	98,48	3,96	4,36	85	A+
46	292146.9HS1	4049577152770	LED 114 HS-SET 1 Edelstahl	SMD2835 LED 12V	4000	weiss	390	98,48	3,96	4,36	85	A+
46	292146.9HS2	4049577152787	LED 114 HS-SET 2 Edelstahl	SMD2835 LED 12V	4000	weiss	390	98,48	3,96	4,36	85	A+
46	292146.9HS3	4049577152794	LED 114 HS-SET 3 Edelstahl	SMD2835 LED 12V	4000	weiss	390	98,48	3,96	4,36	85	A+
46	292146.9HS4	4049577152800	LED 114 HS-SET 4 Edelstahl	SMD2835 LED 12V	4000	weiss	390	98,48	3,96	4,36	85	A+
46	292146.9HS5	4049577152817	LED 114 HS-SET 5 Edelstahl	SMD2835 LED 12V	4000	weiss	390	98,48	3,96	4,36	85	A+
23	292156	4049577150783	LED 115 Tadeo XL Edelstahl Aufbau	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
23	292156HS	4049577150790	LED 115 HS Tadeo XL Edelstahl Aufbau	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
23	292156HS/1	4049577150806	P-LED 115 HS Tadeo XL SET 1 edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
23	292156HS/2	4049577150813	P-LED 115 HS Tadeo XL SET 2 edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
23	292156HS/3	4049577150820	P-LED 115 HS Tadeo XL SET 3 edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
23	292156HS/4	4049577150837	P-LED 115 HS Tadeo XL SET 4 edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
23	292156HS/5	4049577150844	P-LED 115 HS Tadeo XL SET 5 edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
23	292156S/2	4049577150912	LED 115 Tadeo XL SET 2 Edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
23	292156S/3	4049577150929	LED 115 Tadeo XL SET 3 Edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
23	292156S/4	4049577150936	LED 115 Tadeo XL SET 4 Edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
23	292156S/5	4049577150943	LED 115 Tadeo XL SET 5 Edelstahl	SMD LED4014 12V	3000	warmweiss	420	77,78	5,4	5,94	85	A+
23	292156W/2	4049577152152	LED 115 W Tadeo XL IF-Farbwechsel SET 2	SMD LED4014 12V	4250		400	60,61	6,6	7,26	90	A
23	292156W/3	4049577152169	LED 115 W Tadeo XL IF Farbwechsel SET 3	SMD LED4014 12V	4250		400	60,61	6,6	7,26	90	A
23	292156W/4	4049577152176	LED 115 W Tadeo XL IF Farbwechsel SET 4	SMD LED4014 12V	4250		400	60,61	6,6	7,26	90	A
23	292156W/5	4049577152183	LED 115 W Tadeo XL IF Farbwechsel SET 5	SMD LED4014 12V	4250		400	60,61	6,6	7,26	90	A
23	292156.9	4049577152534	LED 115 Tadeo XL Edelstahl Aufbau	SMD LED4014 12V	4000	weiss	420	77,78	5,4	5,94	85	A+
23	292156.9HS	4049577152541	LED 115 HS Tadeo XL Edelstahl Aufbau	SMD LED4014 12V	4000	weiss	420	77,78	5,4	5,94	85	A+
23	292156.9HS1	4049577152558	P-LED 115 HS Tadeo XL SET 1 edelstahl	SMD LED4014 12V	4000	weiss	420	77,78	5,4	5,94	85	A+
23	292156.9HS2	4049577152565	P-LED 115 HS Tadeo XL SET 2 edelstahl	SMD LED4014 12V	4000	weiss	420	77,78	5,4	5,94	85	A+
23	292156.9HS3	4049577152572	P-LED 115 HS Tadeo XL SET 3 edelstahl	SMD LED4014 12V	4000	weiss	420	77,78	5,4	5,94	85	A+
23	292156.9HS4	4049577152589	P-LED 115 HS Tadeo XL SET 4 edelstahl	SMD LED4014 12V	4000	weiss	420	77,78	5,4	5,94	85	A+
23	292156.9HS5	4049577152596	P-LED 115 HS Tadeo XL SET 5 edelstahl	SMD LED4014 12V	4000	weiss	420	77,78	5,4	5,94	85	A+
23	292156.9S/2	4049577152602	LED 115 Tadeo XL SET 2 Edelstahl	SMD LED4014 12V	4000	weiss	420	77,78	5,4	5,94	85	A+
23	292156.9S/3	4049577152619	LED 115 Tadeo XL SET 3 Edelstahl	SMD LED4014 12V	4000	weiss	420	77,78	5,4	5,94	85	A+
23	292156.9S/4	4049577152626	LED 115 Tadeo XL SET 4 Edelstahl	SMD LED4014 12V	4000	weiss	420	77,78	5,4	5,94	85	A+
23	292156.9S/5	4049577152633	LED 115 Tadeo XL SET 5 Edelstahl	SMD LED4014 12V	4000	weiss	420	77,78	5,4	5,94	85	A+
41	292166	4049577154712	LED 116 SL Edelstahl Aufbau	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+

Tabelle1

41	292166HS	4049577159793	LED 116 SL HS Edelstahl	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
41	292166HS/2	4049577154941	LED 116 SL HS SET 2 Edelstahl	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
41	292166HS/3	4049577154934	LED 116 SL HS SET 3 Edelstahl	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
41	292166HS/4	4049577154927	LED 116 SL HS SET 4 Edelstahl	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
41	292166HS/5	4049577154910	LED 116 SL HS SET 5 Edelstahl	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
41	292266	4049577155047	LED 116 Edelstahl Aufbau	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
41	292266HS	4049577155054	LED 116 HS Edelstahl Aufbau	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
41	292266HS/1	4049577155023	LED 116 HS SET 1 Edelstahl	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
41	292266HS/2	4049577155016	LED 116 HS SET 2 Edelstahl	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
41	292266HS/3	4049577155009	LED 116 HS SET 3 Edelstahl	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
41	292266HS/4	4049577154996	LED 116 HS SET 4 Edelstahl	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
41	292266HS/5	4049577154989	LED 116 HS SET 5 Edelstahl	SMD LED4014 12V	3000	warmweiss	400	76,92	5,2	5,72	85	A+
53	2923106	4049577096494	LED 10 nickel matt	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
53	2923106S2	4049577096807	LED 10 nickel matt SET 2	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
53	2923106S3	4049577096814	LED 10 nickel matt SET 3	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
53	2923106S4	4049577096821	LED 10 nickel matt SET 4	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
53	2923106S5	4049577096838	LED 10 nickel matt SET 5	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
53	2923107	4049577096463	LED 10 alufarben	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
53	2923107S2	4049577096845	LED 10 alufarben SET 2	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
53	2923107S3	4049577096852	LED 10 alufarben SET 3	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
53	2923107S4	4049577096869	LED 10 alufarben SET 4	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
53	2923107S5	4049577096876	LED 10 alufarben SET 5	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
53	2923116	4049577102102	LED 10 nickel matt	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
53	2923116S2	4049577102119	LED 10 nickel matt SET 2	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
53	2923116S3	4049577102126	LED 10 nickel matt SET 3	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
53	2923116S4	4049577102133	LED 10 nickel matt SET 4	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
53	2923116S5	4049577102140	LED 10 nickel matt SET 5	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
53	2923117	4049577102041	LED 10 alufarben	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
53	2923117S2	4049577102058	LED 10 alufarben SET 2	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
53	2923117S3	4049577102072	LED 10 alufarben SET 3	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
53	2923117S4	4049577102089	LED 10 alufarben SET 4	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
53	2923117S5	4049577102096	LED 10 alufarben SET 5	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
65	2923966	4049577099310	LED 296 - 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
65	2923966S2	4049577099327	LED 296 - 5 SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
65	2923966S3	4049577099334	LED 296 - 5 SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
65	2923966S4	4049577099341	LED 296 - 5 SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
65	2923966S5	4049577099358	LED 296 - 5 SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
65	2923976	4049577099365	LED 297 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
65	2923976S2	4049577099389	LED 297 3 SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
65	2923976S3	4049577099396	LED 297 3 SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
65	2923976S4	4049577099402	LED 297 3 SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+

Tabelle1

65	2923976S5	4049577099419	LED 297 3 SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
65	29239916	4049577101990	LED 299 3 1,5 Watt Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
65	29239916S2	4049577102003	LED 299 3 1,5 Watt SET 2 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
65	29239916S3	4049577102010	LED 299 3 1,5 Watt SET 3 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
65	29239916S4	4049577102027	LED 299 3 1,5 Watt SET 4 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
65	29239916S5	4049577102034	LED 299 3 1,5 Watt SET 5 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
65	2923996	4049577099372	LED 299 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
65	2923996S2	4049577099426	LED 299 3 SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
65	2923996S3	4049577099440	LED 299 3 SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
65	2923996S4	4049577099457	LED 299 3 SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
65	2923996S5	4049577099464	LED 299 3 SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
40	2927446	4049577111869	LED 44 Edelstahl 125x39x16 mm	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927446HS	4049577111883	LED 44 HS Edelstahl 125x39x16 mm	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927446HS/2	4049577113207	LED 44 HS/2 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927446HS/3	4049577111890	LED 44 HS/3 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927446HS/4	4049577113221	LED 44 HS/4 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927446HS/5	4049577113214	LED 44 HS/5 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927446S2	4049577113177	LED 44 SET 2 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927446S3	4049577111906	LED 44 SET 3 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927446S4	4049577113184	LED 44 SET 4 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927446S5	4049577113191	LED 44 SET 5 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927456	4049577108005	LED 45 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927456HS	4049577108012	LED 45 HS Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927456HS/2	4049577113580	LED 45 HS/2 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927456HS/3	4049577108036	LED 45 HS/3 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927456HS/4	4049577113597	LED 45 HS/4 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927456HS/5	4049577113603	LED 45 HS/5 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927456S2	4049577113610	LED 45 SET 2 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927456S3	4049577108029	LED 45 SET 3 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927456S4	4049577113627	LED 45 SET 4 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
40	2927456S5	4049577113634	LED 45 SET 5 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
39	2927466	4049577111913	LED 46 Edelstahl 200x19x9 mm	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
39	2927466HS/2	4049577144430	LED 46 HS/SET 2 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
39	2927466HS/3	4049577144423	LED 46 HS/SET 3 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
39	2927466HS/4	4049577144447	LED 46 HS/SET 4 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
39	2927466HS/5	4049577144454	LED 46 HS/SET 5 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
39	2927466S2	4049577113092	LED 46 SET 2 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
39	2927466S3	4049577111920	LED 46 SET 3 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
39	2927466S4	4049577113108	LED 46 SET 4 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
39	2927466S5	4049577113115	LED 46 SET 5 Edelstahl	Flächen LED	3500	warmweiss	255	91,07	2,8	3,08	85	A+
33	2927506	4049577170460	LED 50 Edelstahl 225x31x13 mm	SMD2835 LED 12V	3000	warmweiss	250	65,79	3,8	4,18	85	A+

Tabelle1

33	2927506HS	4049577170484	LED 50 HS Edelstahl 225x31x13 mm	SMD2835 LED 12V	3000	warmweiss	250	65,79	3,8	4,18	85	A+
33	2927506HS2	4049577170507	LED 50 HS SET 2 Edelstahl	SMD2835 LED 12V	3000	warmweiss	250	65,79	3,8	4,18	85	A+
33	2927506HS3	4049577170514	LED 50 HS SET 3 Edelstahl	SMD2835 LED 12V	3000	warmweiss	250	65,79	3,8	4,18	85	A+
33	2927506HS4	4049577170521	LED 50 HS SET 4 Edelstahl	SMD2835 LED 12V	3000	warmweiss	250	65,79	3,8	4,18	85	A+
33	2927506HS5	4049577170538	LED 50 HS SET 5 Edelstahl	SMD2835 LED 12V	3000	warmweiss	250	65,79	3,8	4,18	85	A+
33	2927506.9	4049577170569	LED 50.9 Edelstahl 225x31x13 mm	SMD2835 LED 12V	4000	weiss	250	65,79	3,8	4,18	85	A+
33	2927506.9HS	4049577170576	LED 50.9 HS Edelstahl 225x31x13 mm	SMD2835 LED 12V	4000	weiss	250	65,79	3,8	4,18	85	A+
33	2927506.9HS2	4049577171924	LED 50 HS SET 2 Edelstahl	SMD2835 LED 12V	4000	weiss	250	65,79	3,8	4,18	85	A+
33	2927506.9HS3	4049577171931	LED 50 HS SET 3 Edelstahl	SMD2835 LED 12V	4000	weiss	250	65,79	3,8	4,18	85	A+
33	2927506.9HS4	4049577171948	LED 50 HS SET 4 Edelstahl	SMD2835 LED 12V	4000	weiss	250	65,79	3,8	4,18	85	A+
33	2927506.9HS5	4049577171955	LED 50 HS SET 5 Edelstahl	SMD2835 LED 12V	4000	weiss	250	65,79	3,8	4,18	85	A+
32	2927516	4049577166845	LED 51 Edelstahl 250x31x13 mm	SMD2835 LED 12V	3000	warmweiss	170	77,27	2,2	2,42	85	A+
32	2927516HS	4049577166821	LED 51 HS Edelstahl 250x31x13 mm	SMD2835 LED 12V	3000	warmweiss	170	77,27	2,2	2,42	85	A+
32	2927516HS2	4049577166876	LED 51 HS SET 2 Edelstahl	SMD2835 LED 12V	3000	warmweiss	170	77,27	2,2	2,42	85	A+
32	2927516HS3	4049577166869	LED 51 HS SET 3 Edelstahl	SMD2835 LED 12V	3000	warmweiss	170	77,27	2,2	2,42	85	A+
32	2927516HS4	4049577166883	LED 51 HS SET 4 Edelstahl	SMD2835 LED 12V	3000	warmweiss	170	77,27	2,2	2,42	85	A+
32	2927516HS5	4049577166890	LED 51 HS SET 5 Edelstahl	SMD2835 LED 12V	3000	warmweiss	170	77,27	2,2	2,42	85	A+
32	2927516.9	4049577167088	LED 51 Edelstahl 250x31x13 mm	SMD2835 LED 12V	4000	weiss	170	77,27	2,2	2,42	85	A+
32	2927516.9HS	4049577167095	LED 51 HS Edelstahl 250x31x13 mm	SMD2835 LED 12V	4000	weiss	170	77,27	2,2	2,42	85	A+
32	2927516.9HS2	4049577167101	LED 51 HS SET 2 Edelstahl	SMD2835 LED 12V	4000	weiss	170	77,27	2,2	2,42	85	A+
32	2927516.9HS3	4049577167125	LED 51 HS SET 3 Edelstahl	SMD2835 LED 12V	4000	weiss	170	77,27	2,2	2,42	85	A+
32	2927516.9HS4	4049577167132	LED 51 HS SET 4 Edelstahl	SMD2835 LED 12V	4000	weiss	170	77,27	2,2	2,42	85	A+
32	2927516.9HS5	4049577167149	LED 51 HS SET 5 Edelstahl	SMD2835 LED 12V	4000	weiss	170	77,27	2,2	2,42	85	A+
12	2929006	4049577079800	Kabelabdeckung Tadeo Edelstahl		0		0		0	0		
12	2929026	4049577079817	Kabelabdeckung Tadeo Edelstahl		0		0		0	0		
12	2929036	4049577079824	Kabelabdeckung Tadeo Edelstahl		0		0		0	0		
12	2929046	4049577079831	Kabelabdeckung Tadeo Edelstahl		0		0		0	0		
25	2929116	4049577137258	LED 91 Tadeo 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929116DHS	4049577142818	LED 91 Tadeo 3 DHS Edelstahl Aufbau	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929116DHS2	4049577142825	LED 91 Tadeo 3 DHS-SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929116DHS3	4049577142863	LED 91 Tadeo 3 DHS-SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929116DHS4	4049577142870	LED 91 Tadeo 3 DHS-SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929116DHS5	4049577142887	LED 91 Tadeo 3 DHS-SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929116HS	4049577137289	LED 91 Tadeo 3 HS Edelstahl Aufbau	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929116HS/2	4049577137272	LED 91 Tadeo 3 HS-SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929116HS/3	4049577137296	LED 91 Tadeo 3 HS-SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929116HS/4	4049577137302	LED 91 Tadeo 3 HS-SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929116HS/5	4049577137319	LED 91 Tadeo 3 HS-SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929116S/2	4049577141286	LED 91 Tadeo 3 SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929116S/3	4049577141279	LED 91 Tadeo 3 SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929116S/4	4049577141262	LED 91 Tadeo 3 SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++

Tabelle1

25	2929116S/5	4049577141255	LED 91 Tadeo 3 SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929118	4049577169839	LED 91 Tadeo 3 schwarz	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929118HS	4049577169860	LED 91 Tadeo 3 HS schwarz	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929118HS/2	4049577169891	LED 91 Tadeo 3 HS-SET 2 schwarz	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929118HS/3	4049577169884	LED 91 Tadeo 3 HS-SET 3 schwarz	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929118HS/4	4049577169914	LED 91 Tadeo 3 HS-SET 4 schwarz	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929118HS/5	4049577169921	LED 91 Tadeo 3 HS-SET 5 schwarz	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929118S/2	4049577169952	LED 91 Tadeo 3 SET 2 schwarz	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929118S/3	4049577169969	LED 91 Tadeo 3 SET 3 schwarz	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929118S/4	4049577169976	LED 91 Tadeo 3 SET 4 schwarz	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
25	2929118S/5	4049577169983	LED 91 Tadeo 3 SET 5 schwarz	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
12	2929126	4049577137265	LED 91 Tadeo 7 Edelstahl 5 Watt WW	SMD3014 LED 12V	3500	warmweiss	286	108,33	2,64	5,81	85	A++
12	2929136	4049577140692	LED 91 Tadeo 9 Edelstahl 8 Watt WW	SMD3014 LED 12V	3500	warmweiss	286	108,33	2,64	8,71	85	A++
12	2929146	4049577140708	LED 91 Tadeo 11 Edelstahl 12 Watt WW	SMD3014 LED 12V	3500	warmweiss	286	108,33	2,64	11,62	85	A++
25	29291506	4049577141408	LED 91 Tadeo 3 Edelstahl	SMD3014 LED 12V	4000	weiss	272	103,03	2,64	2,9	90	A++
25	29291506HS	4049577141415	LED 91 Tadeo 3 HS Edelstahl 4000 K	SMD3014 LED 12V	4000	weiss	272	103,03	2,64	2,9	90	A++
25	29291506HS2	4049577141422	LED 91 Tadeo 3 HS-SET 2 Edelstahl- 1 x	SMD3014 LED 12V	4000	weiss	272	103,03	2,64	2,9	90	A++
25	29291506HS3	4049577141439	LED 91 Tadeo 3 HS-SET3 Edelstahl	SMD3014 LED 12V	4000	weiss	272	103,03	2,64	2,9	90	A++
25	29291506HS4	4049577141446	LED 91 Tadeo 3 HS-SET4 Edelstahl	SMD3014 LED 12V	4000	weiss	272	103,03	2,64	2,9	90	A++
25	29291506HS5	4049577141453	LED 91 Tadeo 3 HS-SET5 Edelstahl	SMD3014 LED 12V	4000	weiss	272	103,03	2,64	2,9	90	A++
25	29291506S2	4049577141491	LED 91 Tadeo 3/4000 K SET 2 Edelstahl	SMD3014 LED 12V	4000	weiss	272	103,03	2,64	2,9	90	A++
25	29291506S3	4049577141484	LED 91 Tadeo 3/4000 K SET 3 Edelstahl	SMD3014 LED 12V	4000	weiss	272	103,03	2,64	2,9	90	A++
25	29291506S4	4049577141477	LED 91 Tadeo 3/4000 K SET 4 Edelstahl	SMD3014 LED 12V	4000	weiss	272	103,03	2,64	2,9	90	A++
25	29291506S5	4049577141460	LED 91 Tadeo 3/4000 K SET 5 Edelstahl	SMD3014 LED 12V	4000	weiss	272	103,03	2,64	2,9	90	A++
28	2929196	4049577154156	LED 91 Tadeo 1 SL Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
28	2929196HS	4049577155405	LED 91 Tadeo 1 SL HS EdelstahlAufbau	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
28	2929196HS2	4049577155443	LED 91 Tadeo 1 SL HS SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
28	2929196HS3	4049577155436	LED 91 Tadeo 1 SL HS SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
28	2929196HS4	4049577155450	LED 91 Tadeo 1 SL HS SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
28	2929196HS5	4049577155467	LED 91 Tadeo 1 SL HS SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
28	2929196HSX2	4049577156037	LED 91 Tadeo 1 SL HS SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
28	2929196HSX3	4049577156044	LED 91 Tadeo 1 SL HS SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
28	2929196HSX4	4049577156051	LED 91 Tadeo 1 SL HS SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
28	2929196HSX5	4049577156068	LED 91 Tadeo 1 SL HS SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
28	2929198	4049577172754	LED 91 Tadeo 1 SL schwarz	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
28	2929198HS	4049577172761	LED 91 Tadeo 1 SL HS schwarz	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
28	2929198HS2	4049577172785	LED 91 Tadeo 1 SL HS SET 2 schwarz	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
28	2929198HS3	4049577172792	LED 91 Tadeo 1 SL HS SET 3 schwarz	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
28	2929198HS4	4049577172815	LED 91 Tadeo 1 SL HS SET 4 schwarz	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
28	2929198HS5	4049577172822	LED 91 Tadeo 1 SL HS SET 5 schwarz	SMD3014 LED 12V	3500	warmweiss	272	103,03	2,64	2,9	85	A++
66	29292	4049577145703	LED 290 altmessing 2,8W 12V AC/DC G4	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+

Tabelle1

66	29292SET2	4049577145741	LED 290 SET 2 altmessing Glas braun	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
66	29292SET3	4049577145758	LED 290 SET 3 altmessing Glas braun	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
66	29292SET4	4049577145765	LED 290 SET 4 altmessing Glas braun	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
66	29292SET5	4049577145772	LED 290 SET 5 altmessing Glas braun	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
66	29292/1SET2	4049577145789	LED 290 SET 2 altmessing Glas weiss	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
66	29292/1SET3	4049577145796	LED 290 SET 3 altmessing Glas weiss	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
66	29292/1SET4	4049577145802	LED 290 SET 4 altmessing Glas weiss	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
66	29292/1SET5	4049577145819	LED 290 SET 5 altmessing Glas weiss	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
31	2929206	4049577113344	LED 92 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	85	4	4,4	85	A+
31	2929206HS	4049577113351	LED 92 HS 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	85	4	4,4	85	A+
31	2929206HS/2	4049577113467	LED 92 4 HS 2-fach SET Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	85	4	4,4	85	A+
31	2929206HS/3	4049577113368	LED 92 4 HS 3-fach SET Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	85	4	4,4	85	A+
31	2929206HS/4	4049577113474	LED 92 4 HS 4-fach SET Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	85	4	4,4	85	A+
31	2929206HS/5	4049577113481	LED 92 4 HS 5-fach SET Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	85	4	4,4	85	A+
31	2929206S/2	4049577113535	LED 92 4 2-fach SET Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	85	4	4,4	85	A+
31	2929206S/3	4049577113542	LED 92 4 3-fach SET Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	85	4	4,4	85	A+
31	2929206S/4	4049577113559	LED 92 4 4-fach SET Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	85	4	4,4	85	A+
31	2929206S/5	4049577113566	LED 92 4 5-fach SET Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	85	4	4,4	85	A+
31	2929216	4049577115638	LED 92 4 Edelstahl 4000 K	SMD3528 LED 12V	4000	weiss	170	85	2	4,4	90	A+
31	2929216HS	4049577115652	LED 92 HS 4 Edelstahl 4000 K	SMD3528 LED 12V	4000	weiss	170	85	2	4,4	90	A+
31	2929216HS/2	4049577115676	LED 92 4 HS 2-fach SET 4000 K	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
31	2929216HS/3	4049577115690	LED 92 4 HS 3-fach SET 4000 K	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
31	2929216HS/4	4049577115713	LED 92 4 HS 4-fach SET 4000 K	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
31	2929216HS/5	4049577115744	LED 92 4 HS 5-fach SET 4000 K	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
31	2929216S/2	4049577115805	LED 92 4 2-fach SET Edelstahl	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
31	2929216S/3	4049577115799	LED 92 4 3-fach SET Edelstahl	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
31	2929216S/4	4049577115782	LED 92 4 4-fach SET Edelstahl	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
31	2929216S/5	4049577115775	LED 92 4 5-fach SET Edelstahl	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
31	2929226	4049577115645	LED 92 8 Edelstahl	SMD3528 LED 12V	3500	warmweiss	640	91,43	7	7,7	85	A+
31	2929226HS	4049577115669	LED 92 HS 8 Edelstahl	SMD3528 LED 12V	3500	warmweiss	640	91,43	7	7,7	85	A+
31	2929226HS/2	4049577115683	LED 92 8 HS 2-fach SET Edelstahl	SMD3528 LED 12V	3500	warmweiss	640	91,43	7	7,7	85	A+
31	2929226HS/3	4049577115706	LED 92 8 HS 3-fach SET Edelstahl	SMD3528 LED 12V	3500	warmweiss	640	91,43	7	7,7	85	A+
31	2929226HS/4	4049577115720	LED 92 8 HS 4-fach SET Edelstahl	SMD3528 LED 12V	3500	warmweiss	640	91,43	7	7,7	85	A+
31	2929226HS/5	4049577115751	LED 92 8 HS 5-fach SET Edelstahl	SMD3528 LED 12V	3500	warmweiss	640	91,43	7	7,7	85	A+
31	2929226S/2	4049577115812	LED 92 8 2-fach SET Edelstahl	SMD3528 LED 12V	3500	warmweiss	640	91,43	7	7,7	85	A+
31	2929226S/3	4049577115829	LED 92 8 3-fach SET Edelstahl	SMD3528 LED 12V	3500	warmweiss	640	91,43	7	7,7	85	A+
31	2929226S/4	4049577115836	LED 92 8 4-fach SET Edelstahl	SMD3528 LED 12V	3500	warmweiss	640	91,43	7	7,7	85	A+
31	2929226S/5	4049577115843	LED 92 8 5-fach SET Edelstahl	SMD3528 LED 12V	3500	warmweiss	640	91,43	7	7,7	85	A+
31	2929236	4049577137326	LED 92 8 Edelstahl 4000 K	SMD LED 3528	4000	weiss	640	91,43	7	7,7	90	A+
31	2929236HS	4049577137333	LED 92 HS 8 Edelstahl 4000 K	SMD LED 3528	4000	weiss	640	91,43	7	7,7	90	A+
31	2929236HS/2	4049577137388	LED 92 8 HS 2-fach SET Edelstahl	SMD LED 3528	4000	weiss	640	91,43	7	7,7	90	A+

Tabelle1

31	2929236HS/3	4049577137395	LED 92 8 HS 3-fach SET Edelstahl	SMD LED 3528	4000	weiss	640	91,43	7	7,7	90	A+
31	2929236HS/4	4049577137401	LED 92 8 HS 4-fach SET Edelstahl	SMD LED 3528	4000	weiss	640	91,43	7	7,7	90	A+
31	2929236HS/5	4049577137418	LED 92 8 HS 5-fach SET Edelstahl	SMD LED 3528	4000	weiss	640	91,43	7	7,7	90	A+
31	2929236S/2	4049577137340	LED 92 8 2-fach SET Edelstahl	SMD LED 3528	4000	weiss	640	91,43	7	7,7	90	A+
31	2929236S/3	4049577137357	LED 92 8 3-fach SET Edelstahl	SMD LED 3528	4000	weiss	640	91,43	7	7,7	90	A+
31	2929236S/4	4049577137364	LED 92 8 4-fach SET Edelstahl	SMD LED 3528	4000	weiss	640	91,43	7	7,7	90	A+
31	2929236S/5	4049577137371	LED 92 8 5-fach SET Edelstahl	SMD LED 3528	4000	weiss	640	91,43	7	7,7	90	A+
36	2929406	4049577096487	LED 94 Edelstahl 200x38x16/17 mm	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2929406HS	4049577101082	LED 94 Edelstahl HS 200x38x16/17mm	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2929406HS2	4049577099235	LED 94 HS SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2929406HS3	4049577099242	LED 94 HS SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2929406HS4	4049577099259	LED 94 HS SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2929406HS5	4049577099266	LED 94 HS SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2929406S2	4049577099303	LED 94 SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2929406S3	4049577099297	LED 94 SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2929406S4	4049577099280	LED 94 SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
36	2929406S5	4049577099273	LED 94 SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
27	29295006HS/2	4049577109873	LED 95 Tadeo 4 HS-SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
27	29295006HS/3	4049577109880	LED 95 Tadeo 4 HS-SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
27	29295006HS/4	4049577109897	LED 95 Tadeo 4 HS-SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
27	29295006HS/5	4049577109903	LED 95 Tadeo 4 HS-SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
27	2929506	4049577050205	LED 95 Tadeo 4 Edelstahl Aufbau	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
27	2929506	4049577050205	LED 95 Tadeo 4 Edelstahl Aufbau	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
25	2929506DHS	4049577142764	LED 95 Tadeo 4 DHS Edelstahl Aufbau	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
25	2929506DHS2	4049577142771	LED 95 Tadeo 4 DHS-SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
25	2929506DHS3	4049577142788	LED 95 Tadeo 4 DHS-SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
25	2929506DHS4	4049577142801	LED 95 Tadeo 4 DHS-SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
25	2929506DHS5	4049577142795	LED 95 Tadeo 4 DHS-SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
27	2929506HS	4049577109866	LED 95 Tadeo 4 HS Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
27	2929506HS/2	4049577054432	LED 95 Tadeo 4 HS-SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
27	2929506HS/3	4049577054449	LED 95 Tadeo 4 HS-SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
27	2929506HS/4	4049577054456	LED 95 Tadeo 4 HS-SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
27	2929506HS/5	4049577054463	LED 95 Tadeo 4 HS-SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
27	2929506SET2	4049577050212	LED 95 Tadeo 4 SET 2 Edelstahl 2x3,5 W	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
27	2929506SET3	4049577050250	LED 95 Tadeo 4 SET 3 Edelstahl 3x3,5 W	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
27	2929506SET4	4049577050267	LED 95 Tadeo 4 SET 4 Edelstahl 4x3,5 W	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
27	2929506SET5	4049577050274	LED 95 Tadeo 4 SET5 Edelstahl 5x3,5W WW	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
26	29295106	4049577050311	LED 95 Tadeo 2 Edelstahl Aufbau	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
26	29295106HS2	4049577084330	LED 95 Tadeo 2 SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
26	29295106HS3	4049577077745	LED 95 Tadeo 2 SET 3 Edelstahl 3x2 W	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
26	29295106HS4	4049577084347	LED 95 Tadeo 2 SET 4 Edelstahl 4x2 W	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+

Tabelle1

26	29295106HS5	4049577084354	LED 95 Tadeo 2 SET 5 Edelstahl 5x2 W	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
26	29295106S2	4049577050328	LED 95 Tadeo 2 SET 2 Edelstahl 2x2 W	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
26	29295106S3	4049577050335	LED 95 Tadeo 2 SET 3 Edelstahl 3x2 W	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
26	29295106S4	4049577050342	LED 95 Tadeo 2 SET 4 Edelstahl 4x2 W	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
26	29295106S5	4049577050359	LED 95 Tadeo 2 SET 5 Edelstahl 5x2 W	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
26	292951106HS	4049577109828	LED 95 Tadeo 2 HS Edelstahl 2 Watt WW	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
26	292951106HS2	4049577109811	LED 95 Tadeo 2 HS SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
26	292951106HS3	4049577109835	LED 95 Tadeo 2 HS SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
26	292951106HS4	4049577109842	LED 95 Tadeo 2 HS SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
26	292951106HS5	4049577109859	LED 95 Tadeo 2 HS SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
12	2929526	4049577079763	LED 95 Tadeo 8 Edelstahl 7 Watt WW	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	7,7	85	A+
12	2929536	4049577079770	LED 95 Tadeo 12 Edelstahl 10,5 Watt WW	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	11,55	85	A+
12	2929546	4049577079787	LED 95 Tadeo 16 Edelstahl 14 Watt WW	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	15,4	85	A+
26	29295506	4049577141514	LED 95 Tadeo 2 Edelstahl	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
26	29295506HS	4049577141552	LED 95 Tadeo 2 HS Edelstahl 2 W	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
26	29295506S2	4049577141545	LED 95 Tadeo 2 SET 2 Edelstahl 4000 K	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
26	29295506S3	4049577141538	LED 95 Tadeo 2 SET 3 Edelstahl 4000 K	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
26	29295506S4	4049577141521	LED 95 Tadeo 2 SET 4 Edelstahl 4000 K	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
26	29295506S5	4049577141507	LED 95 Tadeo 2 SET 5 Edelstahl 4000 K	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
26	292955106HS2	4049577141583	LED 95 Tadeo 2 HS SET 2 Edelstahl	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
26	292955106HS3	4049577141590	LED 95 Tadeo 2 HS SET 3 Edelstahl	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
26	292955106HS4	4049577141606	LED 95 Tadeo 2 HS SET 4 Edelstahl	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
26	292955106HS5	4049577141613	LED 95 Tadeo 2 HS SET 5 Edelstahl	SMD3528 LED 12V	4000	weiss	170	85	2	2,2	90	A+
27	2929556	4049577137173	LED 95 Tadeo 4 Edelstahl	SMD LED 3528	4000	weiss	320	91,43	3,5	3,85	90	A+
27	2929556HS	4049577137197	LED 95 Tadeo 4 HS Edelstahl	SMD LED 3528	4000	weiss	320	91,43	3,5	3,85	90	A+
27	2929556HS/2	4049577138583	LED 95 Tadeo 4 HS-SET 2 Edelstahl	SMD LED 3528	4000	weiss	320	91,43	3,5	3,85	90	A+
27	2929556HS/3	4049577138590	LED 95 Tadeo 4 HS-SET 3 Edelstahl	SMD LED 3528	4000	weiss	320	91,43	3,5	3,85	90	A+
27	2929556HS/4	4049577138606	LED 95 Tadeo 4 HS-SET 4 Edelstahl	SMD LED 3528	4000	weiss	320	91,43	3,5	3,85	90	A+
27	2929556HS/5	4049577138613	LED 95 Tadeo 4 HS-SET 5 Edelstahl	SMD LED 3528	4000	weiss	320	91,43	3,5	3,85	90	A+
27	2929556SET2	4049577137555	LED 95 Tadeo 4 SET 2 Edelstahl 4000 K	SMD LED 3528	4000	weiss	320	91,43	3,5	3,85	90	A+
27	2929556SET3	4049577137562	LED 95 Tadeo 4 SET 3 Edelstahl 4000 K	SMD LED 3528	4000	weiss	320	91,43	3,5	3,85	90	A+
27	2929556SET4	4049577137579	LED 95 Tadeo 4 SET 4 Edelstahl 4000 K	SMD LED 3528	4000	weiss	320	91,43	3,5	3,85	90	A+
27	2929556SET5	4049577137586	LED 95 Tadeo 4 SET 5 Edelstahl 4000 K	SMD LED 3528	4000	weiss	320	91,43	3,5	3,85	90	A+
66	29299	4049577145710	LED 290 altsilber 2,8W 12V AC/DC G4	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
66	29299SET2	4049577145826	LED 290 SET 2 altsilber Glas weiss	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
66	29299SET3	4049577145833	LED 290 SET 3 altsilber Glas weiss	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
66	29299SET4	4049577145840	LED 290 SET 4 altsilber Glas weiss	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
66	29299SET5	4049577145857	LED 290 SET 5 altsilber Glas weiss	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
66	29299/2	4049577145727	LED 290 altsilber 2,8W 12V AC/DC G4	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
66	29299/2SET2	4049577145864	LED 290 SET 2 altsilber Glas braun	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
66	29299/2SET3	4049577145871	LED 290 SET 3 altsilber Glas braun	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+

Tabelle1

66	29299/2SET4	4049577145888	LED 290 SET 4 altsilber Glas braun	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
66	29299/2SET5	4049577145895	LED 290 SET 5 altsilber Glas braun	LED G4/12 VAC/DC	3000	warmweiss	160	57,14	2,8	3,08	90	A+
49	2931006	4049577097507	LED 97 Edelstahl 3,5 Watt	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
49	2931006S2	4049577097545	LED 97 SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
49	2931006S3	4049577097538	LED 97 SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
49	2931006S4	4049577097552	LED 97 SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
49	2931006S5	4049577097569	LED 97 SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
49	2931016	4049577101648	LED 97 Edelstahl 12V DC 2 Watt	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
49	2931016S2	4049577101655	LED 97 SET 2 Edelstahl 2 Watt	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
49	2931016S3	4049577101662	LED 97 SET 3 Edelstahl 2 Watt	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
49	2931016S4	4049577101679	LED 97 SET 4 Edelstahl 2 Watt	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
49	2931016S5	4049577101686	LED 97 SET 5 Edelstahl 2 Watt	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
35	29319306	4049577098948	LED 93/2 Edelstahl 3,5 Watt	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
35	29319306HS	4049577098955	LED 93/2 HS Edelstahl 3,5 Watt	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
35	29319306HS2	4049577099181	LED 93/2 HS SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
35	29319306HS3	4049577099198	LED 93/2 HS SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
35	29319306HS4	4049577099204	LED 93/2 HS SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
35	29319306HS5	4049577099211	LED 93/2 HS SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
35	29319306S2	4049577099143	LED 93/2 SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
35	29319306S3	4049577099150	LED 93/2 SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
35	29319306S4	4049577099167	LED 93/2 SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
35	29319306S5	4049577099174	LED 93/2 SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	340	97,14	3,5	3,85	85	A+
35	29319316	4049577101747	LED 93/2 - 2 Watt Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
35	29319316HS	4049577101792	LED 93/2 HS - 2 Watt Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
35	29319316HS2	4049577101808	LED 93/2 2 Watt HS SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
35	29319316HS3	4049577101815	LED 93/2 2 Watt HS SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
35	29319316HS4	4049577101822	LED 93/2 2 Watt HS SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
35	29319316HS5	4049577101839	LED 93/2 2 Watt HS SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
35	29319316S2	4049577101754	LED 93/2 2 Watt SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
35	29319316S3	4049577101761	LED 93/2 2 Watt SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
35	29319316S4	4049577101778	LED 93/2 2 Watt SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
35	29319316S5	4049577101785	LED 93/2 2 Watt SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	170	85	2	2,2	85	A+
50	2941006	4049577097576	LED 99 2,8 Watt Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
50	2941006S2	4049577097583	LED 99 SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
50	2941006S3	4049577097590	LED 99 SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
50	2941006S4	4049577097606	LED 99 SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
50	2941006S5	4049577097613	LED 99 SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
50	2941016	4049577101693	LED 99/2 1,5 Watt Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
50	2941016	4049577101693	LED 99/2 1,5 Watt Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
50	2941016S2	4049577101709	LED 99/2 1,5 Watt SET 2 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
50	2941016S2	4049577101709	LED 99/2 1,5 Watt SET 2 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++

Tabelle1

50	2941016S3	4049577101716	LED 99/2 1,5 Watt SET 3 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
50	2941016S3	4049577101716	LED 99/2 1,5 Watt SET 3 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
50	2941016S4	4049577101723	LED 99/2 1,5 Watt SET 4 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
50	2941016S4	4049577101723	LED 99/2 1,5 Watt SET 4 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
50	2941016S5	4049577101730	LED 99/2 1,5 Watt SET 5 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
50	2941016S5	4049577101730	LED 99/2 1,5 Watt SET 5 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
35	29419406	4049577099037	LED 99/2 Edelstahl 2,8 Watt	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
35	29419406HS	4049577099044	LED 99/2 HS Edelstahl 2,8 Watt	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
35	29419406HS2	4049577099068	LED 99/2 HS SET 2 Edelstahl 2,8W	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
35	29419406HS3	4049577099075	LED 99/2 HS SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
35	29419406HS4	4049577099082	LED 99/2 HS SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
35	29419406HS5	4049577099099	LED 99/2 HS SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
35	29419406S2	4049577099136	LED 99/2 SET 2 Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
35	29419406S3	4049577099129	LED 99/2 SET 3 Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
35	29419406S4	4049577099112	LED 99/2 SET 4 Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
35	29419406S5	4049577099105	LED 99/2 SET 5 Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
35	29419416	4049577099051	LED 99/2 1,5 Watt Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
35	29419416HS	4049577101891	LED 99/2 HS 1,5 Watt Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
35	29419416HS2	4049577101907	LED 99/2 1,5 W HS SET 2 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
35	29419416HS3	4049577101914	LED 99/2 1,5 W HS SET 3 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
35	29419416HS4	4049577101921	LED 99/2 1,5 W HS SET 4 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
35	29419416HS5	4049577101938	LED 99/2 1,5 W HS SET 5 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
35	29419416S2	4049577101853	LED 99/2 1,5 Watt SET 2 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
35	29419416S3	4049577101860	LED 99/2 1,5 Watt SET 3 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
35	29419416S4	4049577101877	LED 99/2 1,5 Watt SET 4 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
35	29419416S5	4049577101884	LED 99/2 1,5 Watt SET 5 Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
76	2954017	4049577148841	Aufbauschalter 240 Volt 1,5 Ampere		0		0		0	0	0	
77	2954122	4049577139474	LED Funk Dimmer Controller		0		0		0	0	0	
77	2954123	4049577139481	LED Funk Dimmer Receiver 12V DC 120 W		0		0		0	0	0	
76	2954206	4049577152039	LED Infrarot Touch Dimmer Edelstahl		0		0		0	0	0	
77	2954216	4049577152015	LED Infrarot Touch Farbwechsler		0		0		0	0	0	
77	2954220	4049577136329	LED Funk Touch Farbwechsler 12VDC 120W		0		0		0	0	0	
63	29591406	4049577130372	P-LED 89 SMD edelstahl 2,5 W 12 V DC	SMD3014 LED 12V	3500	warmweiss	270	108	2,5	2,75	85	A++
63	29591406S2	4049577143631	P-LED 89 SMD 2-fach SET Edelstahl	SMD3014 LED 12V	3500	warmweiss	270	108	2,5	2,75	85	A++
63	29591406S3	4049577143624	P-LED 89 SMD 3-fach SET Edelstahl	SMD3014 LED 12V	3500	warmweiss	270	108	2,5	2,75	85	A++
63	29591406S4	4049577143617	P-LED 89 SMD 4-fach SET Edelstahl	SMD3014 LED 12V	3500	warmweiss	270	108	2,5	2,75	85	A++
63	29591406S5	4049577143600	P-LED 89 SMD 5-fach SET Edelstahl	SMD3014 LED 12V	3500	warmweiss	270	108	2,5	2,75	85	A++
63	29591406.9	4049577146007	P-LED 89 edelstahl 2,5 W 12 V DC	SMD3014 LED 12V	4000	weiss	270	108	2,5	2,75	90	A++
63	29591406.9S2	4049577150202	P-LED 89 2-fach SET Edelstahl	SMD3014 LED 12V	4000	weiss	270	108	2,5	2,75	90	A++
63	29591406.9S3	4049577146014	P-LED 89 3-fach SET Edelstahl	SMD3014 LED 12V	4000	weiss	270	108	2,5	2,75	90	A++
63	29591406.9S4	4049577150219	P-LED 89 4-fach SET Edelstahl	SMD3014 LED 12V	4000	weiss	270	108	2,5	2,75	90	A++

Tabelle1

63	29591406.9S5	4049577150226	P-LED 89 5-fach SET Edelstahl	SMD3014 LED 12V	4000	weiss	270	108	2,5	2,75	90	A++
63	29591504	4049577092694	P-LED 89 SMD chrom glanz 2,8 W 12 V DC	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
63	29591504S2	4049577095572	P-LED 89 SMD 2-fach SET chrom glanz	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
63	29591504S3	4049577095589	P-LED 89 SMD 3-fach SET chrom glanz	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
63	29591504S4	4049577095596	P-LED 89 SMD 4-fach SET chrom glanz	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
63	29591504S5	4049577095602	P-LED 89 SMD 5-fach SET chrom glanz	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
63	29591506	4049577092403	P-LED 89 SMD edelstahl 2,8 W 12 V DC	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
63	29591506S2	4049577095541	P-LED 89 SMD 2-fach SET Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
63	29591506S3	4049577095527	P-LED 89 SMD 3-fach SET Edelstahl3 x	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
63	29591506S4	4049577095558	P-LED 89 SMD 4-fach SET Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
63	29591506S5	4049577095565	P-LED 89 SMD 5-fach SET Edelstahl	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
63	29591514	4049577095152	P-LED 89 SMD chrom 1,5 W 12 V DC	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
63	29591514S2	4049577095619	P-LED 89 SMD 2-fach SET chrom glanz	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
63	29591514S3	4049577095626	P-LED 89 SMD 3-fach SET chrom glanz	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
63	29591514S4	4049577095633	P-LED 89 SMD 4-fach SET chrom glanz	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
63	29591514S5	4049577095640	P-LED 89 SMD 5-fach SET chrom glanz	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
63	29591516	4049577095138	P-LED 89 SMD edelstahl 1,5 W 12 V DC	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
63	29591516S2	4049577095688	P-LED 89 SMD 2-fach SET Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
63	29591516S3	4049577095671	P-LED 89 SMD 3-fach SET Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
63	29591516S4	4049577095664	P-LED 89 SMD 4-fach SET Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
63	29591516S5	4049577095657	P-LED 89 SMD 5-fach SET Edelstahl	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
48	296599046	4049577147059	P-LED 589 SMD edelstahl 2,5 W 12 V DC	SMD3014 LED 12V	3500	warmweiss	270	108	2,5	2,75	85	A++
48	296599046HS	4049577147066	P-LED 589 SMD HS edelstahl 2,5 W 12VDC	SMD3014 LED 12V	3500	warmweiss	270	108	2,5	2,75	85	A++
48	296599046S2	4049577150066	P-LED 589 SET 2 edelstahl 12 V DC	SMD3014 LED 12V	3500	warmweiss	270	108	2,5	2,75	85	A++
48	296599046S3	4049577150073	P-LED 589 SET 3 edelstahl 12 V DC	SMD3014 LED 12V	3500	warmweiss	270	108	2,5	2,75	85	A++
48	296599046S4	4049577150080	P-LED 589 SET 4 edelstahl 12 V DC	SMD3014 LED 12V	3500	warmweiss	270	108	2,5	2,75	85	A++
48	296599046S5	4049577150097	P-LED 589 SET 5 edelstahl 12 V DC	SMD3014 LED 12V	3500	warmweiss	270	108	2,5	2,75	85	A++
48	296599046HS2	4049577150042	P-LED 589 HS-SET 2 edelstahl 12 V DC	SMD3014 LED 12V	3500	warmweiss	270	108	2,5	2,75	85	A++
48	296599046HS3	4049577147042	P-LED 589 HS-SET 3 edelstahl 12 V DC	SMD3014 LED 12V	3500	warmweiss	270	108	2,5	2,75	85	A++
48	296599046HS4	4049577150059	P-LED 589 HS-SET 4 edelstahl 12 V DC	SMD3014 LED 12V	3500	warmweiss	270	108	2,5	2,75	85	A++
48	296599046HS5	4049577147073	P-LED 589 HS-SET 5 edelstahl 12 V DC	SMD3014 LED 12V	3500	warmweiss	270	108	2,5	2,75	85	A++
48	296599156	4049577094759	P-LED 589 SMD edelstahl 1,5 W 12 V DC	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
48	296599156HS	4049577101105	P-LED 589 SMD HS edelstahl 1,5 W 12 VDC	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
48	296599156HS2	4049577098412	P-LED 589 SMD HS-SET 2 edelstahl 12 VDC	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
48	296599156HS3	4049577094780	P-LED 589 SMD HS-SET 3 edelstahl 12 VDC	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
48	296599156HS4	4049577098429	P-LED 589 SMD HS-SET 4 edelstahl 12 VDC	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
48	296599156HS5	4049577094773	P-LED 589 SMD HS-SET 5 edelstahl 12 VDC	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
55	29787116	4049577125255	LED 87 ALU Aufbauleuchte	SMD LED 5050	3500	warmweiss	170	50	3,4	3,74	85	A
54	297986156	4049577094285	P-LED 986 edelstahl 2,8 Watt 12 V DC	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
54	297986156HS	4049577097750	P-LED 986 HS edelstahl 2,8 Watt 12 V DC	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
54	297986156HS2	4049577097767	P-LED 986 SMD HS-SET2 edelstahl 12V DC	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++

Tabelle1

54	297986156HS3	4049577097774	P-LED 986 SMD HS-SET 3 edelstahl 12VDC	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
54	297986156HS4	4049577097781	P-LED 986 SMD HS-SET 4 edelstahl 12 V	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
54	297986156HS5	4049577097798	P-LED 986 SMD HS-SET 5 edelstahl 12 V	SMD3014 LED 12V	3500	warmweiss	280	100	2,8	3,08	85	A++
54	297986256	4049577100078	P-LED 986 edelstahl 1,5 Watt 12 V DC	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
54	297986256HS	4049577101075	P-LED 986 HS edelstahl 1,2 Watt 12 V DC	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
54	297986256HS2	4049577100085	P-LED 986 SMD HS-SET 2 edelstahl 12 V	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
54	297986256HS3	4049577100092	P-LED 986 SMD HS-SET 3edelstahl 12 V DC	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
54	297986256HS4	4049577100108	P-LED 986 SMD HS-SET 4 edelstahl 12 V	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
54	297986256HS5	4049577100115	P-LED 986 SMD HS-SET 5 edelstahl 12 V	SMD LED3014 12V	3500	warmweiss	140	93,33	1,5	1,65	85	A++
119	2981101	4049577167583	1,50 m Anschlussleitung weiss zu		0		0		0	0	0	
119	2981111VB	4049577165640	Verbinder 150 mm zu LED R 3800		0		0		0	0	0	
119	2981121A	4049577165343	LED R 3800/ 4 Watt 315x23x30 mm	LED PCB 4 W	4000	weiss	360	90	4	4,4	80	A+
119	2981131A	4049577165619	LED R 3800/ 8 Watt 575x23x30 mm	LED PCB 8 W	4000	weiss	720	90	8	8,8	80	A+
119	2981171A	4049577165626	LED R 3800/10 Watt 875x23x30 mm	LED PCB 10 W	4000	weiss	900	90	10	11	80	A+
119	2981181A	4049577165633	LED R 3800/14 Watt 1175x23x30 mm	LED PCB 14 W	4000	weiss	1250	89,29	14	15,4	80	A+
62	29896DOSE	4049577105158	Aufbauring zu P-LED 89 Edelstahl		0		0		0	0	0	
121	41011	4049577005816	Schutzkontakt Winkelstecker weiss		0		0		0	0	0	
121	41031	4049577005793	Schutzkontakt-Kupplung weiss		0		0		0	0	0	
121	41062/1,5	4049577105592	Tischsteckdose 3-fach weiss		0		0		0	0	0	
113	41098.200	4049577011015	HA Anschlussleitung weiss mit AMP		0		0		0	0	0	
121	41101/1,5	4049577005847	Verlaengerung 2 Meter 3x1,5mm ² weiss		0		0		0	0	0	
121	41105/1,5	4049577005830	Verlaengerung 3 Meter 3x1,5mm ² weiss		0		0		0	0	0	
644630	4049577162960	4049577162960	Anschlussleitung 2 m weiss 250 V/2,5A		0		0		0	0	0	
644631	4049577162946	4049577162946	2,00 m Anschlussleitung weiss 250V/2,5A		0		0		0	0	0	
644703	4049577163080	4049577163080	Verbindungsleitung 0,15 m weiss		0		0		0	0	0	
644710	4049577163066	4049577163066	Verbindungsleitung 0,5 m weiss		0		0		0	0	0	
122	50014	4049577038654	Dreibanden Leuchtstoffroehre T5/ 6 Watt	T5 6 W G5	4000	weiss	320	53,33	6	6,6	85	A
122	50015	4049577096029	Dreibanden Leuchtstoffroehre T5/ 6 Watt	T5 6 W G5	3000	warmweiss	320	53,33	6	6,6	85	A
122	50024	4049577035646	Dreibanden Leuchtstoffroehre T5/ 8 Watt	T5 8 W G5	4000	weiss	500	62,5	8	8,8	85	A
122	50025	4049577096036	Dreibanden Leuchtstoffroehre T5/ 8 Watt	T5 8 W G5	3000	warmweiss	500	62,5	8	8,8	85	A
122	50034	4049577038708	Dreibanden Leuchtstoffroehre T5/13 Watt	T5 13 W G5	4000	weiss	950	73,08	13	14,3	85	A
122	50035	4049577038715	Dreibanden Leuchtstoffroehre T5/13 Watt	T5 13 W G5	3000	warmweiss	950	73,08	13	14,3	85	A
122	50044	4049577035653	Dreibanden - Leuchtstoffroehre 15 Watt	T8 15 W G13	4000	weiss	950	63,33	15	18,62	85	B
122	50045	4049577039187	Dreibanden-Leuchtstoffroehre T8/15 Watt	T8 15 W G13	3000	warmweiss	950	63,33	15	18,62	85	B
122	50054	4049577025647	Dreibanden - Leuchtstoffroehre 16 Watt	T8 16 W G13	4000	weiss	1200	75	16	19,65	85	A
122	50055	4049577095961	Dreibanden-Leuchtstoffroehre T8/16 Watt	T8 16 W G13	3000	warmweiss	1200	75	16	19,65	85	A
122	50064	4049577025678	Dreibanden - Leuchtstoffroehre 18 Watt	T8 18 W G13	4000	weiss	1350	75	18	21,98	85	A
122	50065	4049577025685	Dreibanden-Leuchtstoffroehre T8/18 Watt	T8 18 W G13	3000	warmweiss	1350	75	18	21,98	85	A
122	50074	4049577025722	Dreibanden - Leuchtstoffroehre 30 Watt	T8 30 W G13	4000	weiss	2400	80	30	35,73	85	A
122	50075	4049577025739	Dreibanden-Leuchtstoffroehre T8/30 Watt	T8 30 W G13	3000	warmweiss	2400	80	30	35,73	85	A
122	54020	4049577006554	Starter FS11 in Industrieverpackung		0		0		0	0	0	

Tabelle1

113	54021.1	4049577007292	Eurozuleitung 4 m mit		0	0	0	0	0
113	54028.8	4049577007308	Eurozuleitung 4 m mit		0	0	0	0	0
113	54031	4049577005762	Set-Schalter weiss ohne Leitungen		0	0	0	0	0
113	54038	4049577005755	Set-Schalter schwarz ohne Leitungen		0	0	0	0	0
113	54041.1	4049577006066	Tuerkontaktschalter 2 Ampere		0	0	0	0	0
113	54061	4049577017116	Zwischensteckdose mit Schalter weiss		0	0	0	0	0
113	54081	4049577005786	Eurozuleitung 4 m mit Einbau-Schalter		0	0	0	0	0
113	54088	4049577005779	Eurozuleitung 4 m mit Einbau-Schalter		0	0	0	0	0
76	54096	4049577111463	Aufbauschalte Edelstahl 75x60x23 mm		0	0	0	0	0
76	54096.8	4049577111470	Aufbauschalte Edelstahl 75x60x23 mm		0	0	0	0	0
76	54176	4049577145208	Aufbauschalte slim edelstahl		0	0	0	0	0
115	54301	4049577006042	Sensor - Schaltflaeche Edelstahl		0	0	0	0	0
115	54321	4049577006059	Sensor-Set-Schalter Elektronisch 250 VA		0	0	0	0	0
115	54326	4049577132819	Sensor-Touch Schalter mit		0	0	0	0	0
115	54326	4049577132819	Sensor-Touch Schalter mit		0	0	0	0	0
114	54421	4049577008671	Infrarot Schalter		0	0	0	0	0
114	54421PASS	4049577005892	Infrarot Schalter Passiv 20°		0	0	0	0	0
114	54431	4049577005908	Infrarot Schalter mit		0	0	0	0	0
114	54431PASS	4049577005885	Infrarot Schalter 20° mit		0	0	0	0	0
114	54441	4049577005946	Infrarot Tuerschalter 20° Sensor Aufbau		0	0	0	0	0
114	54451	4049577005939	Infrarot Tuerschalter Einbau		0	0	0	0	0
123	BE0918192512	4049577006493	Rahmen 3-fach weiss Integro		0	0	0	0	0
123	BE0918192515	4049577006509	Rahmen 3-fach anthrazit Integro		0	0	0	0	0
123	BE091820	4049577006677	Einbaudose gross mit Zugentlastung		0	0	0	0	0
123	BE09182001	4049577006691	Einbaudose flach mit Zugentlastung		0	0	0	0	0
123	BE09182002	4049577006660	Einbaudose gross ohne Zugentlastung		0	0	0	0	0
123	BE09182003	4049577006684	Einbaudose flach ohne Zugentlastung		0	0	0	0	0
123	BE0918252512	4049577006479	Aufbau-Distanzring weiss 10 mm		0	0	0	0	0
123	BE0918252515	4049577006486	Distanzring schwarz 10 mm Integro		0	0	0	0	0
123	BE0918262515	4049577006523	Rahmen 2-fach anthrazit Integro		0	0	0	0	0
123	BE0918262519	4049577006516	Rahmen 2-fach weiss Integro		0	0	0	0	0
123	BE0918272505	4049577006547	Rahmen 1-fach anthrazit		0	0	0	0	0
123	BE0918272509	4049577006530	Rahmen 1-fach weiss Integro		0	0	0	0	0
123	BE0918282505	4049577006769	1-fach Rahmen mit Klappdeckel		0	0	0	0	0
123	BE0918282509	4049577006752	1-fach Rahmen mit Klappdeckel		0	0	0	0	0
123	BE091883	4049577006653	Einbaudose gross, 2 Zugentlaster		0	0	0	0	0
123	BE091911	4049577006646	Einbaudose 2-fach senkrecht		0	0	0	0	0
123	BE091912	4049577006639	Einbaudose 2-fach waagerecht		0	0	0	0	0
123	BE0936512505	4049577006745	Schalter anthrazit 1-polig AUS		0	0	0	0	0
123	BE0936512509	4049577006738	Schalter weiss 1-polig Aus		0	0	0	0	0
123	BE0947782502	4049577006714	Steckdose weiss Schuko 10/16A		0	0	0	0	0
123	BE0947782505	4049577006721	Steckdose anthrazit Schuko 250V/16A		0	0	0	0	0